# 2009 Annual Drinking Water Quality Report Collier County Water Department

## Message from the Collier County Water Department Management Team

We are pleased to present this summary of the quality of water provided to you, our customers, during 2009. We are committed to the protection of your health, your safety, and your welfare when it comes to providing high quality drinking water and the services associated with providing that water to your tap.

While the Safe Drinking Water Act requires that utilities issue an annual water quality report, we feel strongly that a well-informed consumer is our best ally in maintaining drinking water excellence. We trust that you will read this report and become informed about the high quality water that comes out of your faucet ... there was not a single violation of any drinking water standard in the water that we delivered to your home in 2009.

We are constantly striving to contain the cost of your drinking water through the use of new technology, efficient operations, and the wise use of resources. In a world of ever-increasing costs of electricity and chemicals that must be used to produce a safe and reliable supply of drinking water, you can do your part to help keep your cost of water down ... use water wisely.

Sincerely; Paul Mattausch, Director, Collier County Water Department

## **Source Water for Collier County**

The Collier County Water System pumps groundwater from three well fields located in the Golden Gate Estates. The North Hawthorn Well field has 20 wells that provide water to the North County Regional Water Treatment Plant. The South Hawthorn Well field has 41 wells that provide water to the South County Regional Water Treatment Plant. The Golden Gate Tamiami Well field has 36 wells that provide water to both treatment plants.

The Florida Department of Environmental Protection (FDEP) performed a Source Water Assessment on the system in 2004. This assessment was conducted to provide information about any potential sources of contamination in the vicinity of the wells. Potential sources of contamination identified included underground petroleum storage tanks, injection wells, and industrial wastewater treatment plants. The assessment results are available on the DEP Source Water Assessment and Protection Program website at www.dep.state.fl.us/swapp.

The Collier County Water Department has an extensive and continuous testing program to routinely monitor for contaminants in your drinking water in accord with federal and state laws, rules and regulations. Except where indicated otherwise, this report is based on the results of our monitoring for the period of January 1 to December 31, 2009. Data obtained before January 1, 2009, and presented in this report are from the most recent testing done in accordance with the laws, rules, and regulations.

## **Other Sources of Information**

Florida Department of Environmental Protection: www.dep.state.fl.us

United States Environmental Protection Agency Safe Drinking Water Hotline: 1-800-426-4791

United States Environmental Protection Agency Office of Water: www.epa.gov/OW

The American Water Works Association: www.awwa.org

## **Important Phone Numbers**

If you have any questions about this report or your water service, please contact us at the following numbers: For questions concerning this report and its contents please call (239) 252-4H2O.

For questions concerning your water service (account information, service requests, billing inquires) please call (239) 252-2380.

## **Definitions**

In the table below, you may find unfamiliar terms and abbreviations. To help you better understand these terms we've provided the following definitions:

**Maximum Contaminant Level or MCL**: The highest level of a contaminant that is allowed in drinking water; MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water below which there is no known or expected risk to health; MCLGs allow for a margin of safety.

**Action Level (AL)**: The concentration of a contaminant that, if exceeded, triggers treatment or other requirements that a water system must follow.

"ND" means not detected and indicates that the substance was not found by laboratory analysis.

**Initial Distribution System Evaluation (IDSE)**: An important part of the Stage 2 Disinfection Byproducts Rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system locations with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their Stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

Parts per million (ppm) or Milligrams per liter (mg/L): One part by weight of analyte to 1 million parts by weight of the water sample.

Parts per billion (ppb) or Micrograms per liter ( $\mu$ g/L): One part by weight of analyte to 1 billion parts by weight of the water sample.

**Picocurie per liter (pCi/L)**: Measure of the radioactivity in water.

Maximum residual disinfectant level or MRDL: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal or MRDLG: The level of a drinking water disinfectant below which there is no known or expected risk to health.

**Contaminant**: Any physical, chemical, biological or radiological substance in the water.

**Violation**: Violations occur when detected limits are greater than Maximum Contaminant Levels or Action Levels set by the EPA.

90<sup>th</sup> Percentile: The analytical result that is greater than or equal to 90% of the results.

This report shows the results of our monitoring for the period of January 1 to December 31, 2009. Federal and state regulations allow us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, may be more than one year old. The Environmental Protection Agency (EPA) requires monitoring of over 80 drinking water contaminants. Those contaminants listed in the table below are the only contaminants detected in your drinking water.

Microbiological Organisms									
Contaminant and Unit of Measurement	Dates of sampling (mo./yr.)	MCL Violation Y/N	Highest Monthly Number of Positive Samples	MCLG	MCL	Likely Source of Contamination			
Total Coliform Bacteria	Monthly 2009	N	0.6% during (10/09)	0	For systems collecting at least 40 samples per month: presence of coliform bacteria in 5% or more of monthly samples.	Naturally present in the environment			

Radionuclides									
Contaminant and Unit of Measurement	Dates of sampling (mo./yr.)	MCL Violation Y/N	Level Detected	Range of Results	MCLG	MCL	Likely Source of Contamination		
Radium 226+228 or combined radium (pCi/L)	7/09	N	0.66	0 -0.66	0	5	Erosion of natural deposits		

Inorganic Chemicals								
Contaminant and Unit of Measurement	Dates of sampling (mo./yr.)	MCL Violation Y/N	Level Detected	Range of Results	MCLG	MCL	Likely Source of Contamination	
Cyanide (ppb)	5/08	N	10	9-10	200	200	Discharge from steel/metal factories; discharge from plastic and fertilizer factories	
Fluoride (ppm)	Monthly 2009	N	1.22	0.81-1.22	4	4	Erosion of natural deposits; discharge from fertilizer and aluminum factories. Water additive which promotes strong teeth when at optimum levels between 0.7 and 1.3 ppm	
Nitrate (as Nitrogen) (ppm)	5/09	N	0.11	0.06-0.11	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits	
Sodium (ppm)	5/08	N	70	48-70	N/A	160	Salt water intrusion, leaching from soil	

Stage 1 Disinfectant/Disinfection By-Product (D/DBP) Parameters									
Contaminant and Unit of Measurement	Dates of sampling (mo./yr.)	MCL Violation Y/N	Level Detected	Range of Results	MCLG or MRDLG	MCL or MRDL	Likely Source of Contamination		
Chloramines (ppm)	Monthly 2009	N	3.43	0.6-5.1	MRDLG = 4	MRDL = 4	Water additive used to control microbes		
Haloacetic Acids (five) (HAA5) (ppb)	08/2009	N	11.7	5.1-18.3	NA	MCL = 60	By-product of drinking water disinfection		
TTHM [Total trihalomethanes] (ppb)	08/2009	N	19.4	10.6- 28.1	NA	MCL = 80	By-product of drinking water disinfection		

Lead and Copper (Tap Water)									
Contaminant and Unit of Measurement	Dates of sampling (mo./yr.)	AL Violation Y/N	90th Percentile Result	Number of sampling sites exceeding the AL	MCLG	AL (Action Level)	Likely Source of Contamination		
Copper (tap water) (ppm)	07/2008	N	0.07	0	1.3	1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives		
Lead (tap water) (ppb)	07/2008	N	2.3	0	0	15	Corrosion of household plumbing systems, erosion of natural deposits		

The sources of drinking water (for both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

To ensure tap water is safe to drink, the EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at 1-800-426-4791.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Collier County Water Department is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (800-426-4791) or at www.epa.gov/safewater/lead.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

## **Hardness of Your Water**

General guidelines for classification of the hardness of water are: 0 to 60 mg/L (milligrams per liter) of hardness is classified as soft water; 61 to 120 mg/L as moderately hard water; 121 to 180 mg/L as hard water; and more than 180 mg/L as very hard water. The range of hardness of water delivered to your home by the Collier County Water Department in 2009 was 39 to 70 mg/L, or 2.2 to 4.1 grains per gallon, with an average hardness of 53 mg/L.

## **Cross Connection Control**

Cross-connection control devices are installed to protect the public drinking water supply from any other source of water that has the potential to contaminate the drinking water supply. Cross-connections are illegal per Collier County Ordinance Number 1997-33 (as amended by Ordinance 2008-32). Examples of cross-connections include leaving a garden hose submerged in a swimming pool, without a proper vacuum breaker; attaching a pesticide or weed-killer mixing sprayer to the end of a hose; and connecting an irrigation system to both a reclaimed water supply and the drinking water system. Most cross-connection control devices are owned and maintained by the Collier County Water-Sewer District (CCWSD) at no additional charge to our customers. Cross-connection control devices on private fire lines are neither owned, nor maintained by the CCWSD and are the customer's responsibility. Florida Administrative Code 62-555 requires cross-connection control devices be tested annually and repaired as necessary. If you require service to your cross-connection control device, especially if you notice the device leaking or dripping, contact the CCWSD at (239) 252-2380. Most repairs are completed at no charge to the property owner. The exception to the free service would be if the repair or replacement of the device is required due to negligence, such as running over the device with a mower or vehicle.