

**Collier County Land Use Summary  
1988-2005**

**Barron River Canal**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	0.16	0.25	.	0.02
<b>Uplands</b>	12.90	7.06	3.83	3.94
<b>Urban and Built-up</b>	1.02	1.84	0.79	0.79
<b>Wetlands</b>	85.92	90.85	95.38	95.24

**Camp Keais**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	42.52	43.69	40.96	39.17
<b>Uplands</b>	14.76	10.16	10.72	12.42
<b>Urban and Built-up</b>	0.32	0.48	0.36	0.49
<b>Wetlands</b>	42.40	45.67	47.95	47.92

**Cocohatchee Golf Course**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	.	0.41	0.39	0.39
<b>Uplands</b>	52.87	38.15	13.72	11.24
<b>Urban and Built-up</b>	30.55	47.73	55.15	62.96
<b>Wetlands</b>	16.57	13.72	30.73	25.41

**Cocohatchee Inland**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	19.44	32.40	13.03	5.52
<b>Uplands</b>	17.65	10.09	6.06	5.40
<b>Urban and Built-up</b>	24.07	41.38	42.31	53.03
<b>Wetlands</b>	38.85	16.13	38.60	36.04

**Cocohatchee River**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Uplands</b>	14.64	2.06	6.47	5.61
<b>Urban and Built-up</b>	32.35	34.95	33.73	34.92
<b>Wetlands</b>	53.01	62.99	59.80	59.47

**Corkscrew Marsh**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	33.62	34.19	31.92	30.42
<b>Uplands</b>	18.51	5.70	6.42	6.83
<b>Urban and Built-up</b>	2.44	1.63	1.21	2.13
<b>Wetlands</b>	45.43	58.49	60.45	60.62

**Cow Slough**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	44.89	50.38	57.24	55.65
<b>Uplands</b>	37.92	14.64	9.60	10.01
<b>Urban and Built-up</b>	8.24	8.89	7.36	8.58
<b>Wetlands</b>	8.95	26.09	25.80	25.76

**Collier County Land Use Summary  
1988-2005**

**Drain to Corkscrew**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	53.89	67.15	63.30	57.42
<b>Uplands</b>	18.21	10.57	12.12	12.11
<b>Urban and Built-up</b>	2.18	2.59	1.87	7.14
<b>Wetlands</b>	25.71	19.70	22.70	23.33

**Faka Union North**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	9.58	25.62	3.16	1.90
<b>Uplands</b>	30.87	6.92	19.32	24.80
<b>Urban and Built-up</b>	30.64	6.98	31.32	33.99
<b>Wetlands</b>	28.91	60.48	46.20	39.31

**Faka Union South**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	0.01	0.17	0.09	0.02
<b>Uplands</b>	0.73	1.93	3.73	3.74
<b>Urban and Built-up</b>	21.74	0.36	0.45	0.52
<b>Wetlands</b>	77.52	97.54	95.73	95.72

**Fakahatchee Strand**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	0.90	1.18	0.25	0.25
<b>Uplands</b>	4.76	1.84	1.41	1.41
<b>Urban and Built-up</b>	0.68	0.42	0.33	0.34
<b>Wetlands</b>	93.66	96.56	98.00	98.00

**Gordon River Extension**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	1.73	5.19	1.11	.
<b>Uplands</b>	22.38	10.13	11.74	6.97
<b>Urban and Built-up</b>	72.93	76.08	77.69	85.81
<b>Wetlands</b>	2.96	8.60	9.46	7.22

**Immokalee**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	46.97	50.78	49.64	49.08
<b>Uplands</b>	25.70	4.12	7.03	6.67
<b>Urban and Built-up</b>	21.28	23.74	21.95	22.26
<b>Wetlands</b>	6.05	21.36	21.37	21.98

**Collier County Land Use Summary  
1988-2005**

**L-28**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	0.12	2.75	0.64	0.64
<b>Uplands</b>	0.74	10.46	11.28	11.28
<b>Urban and Built-up</b>	0.97	0.61	0.42	0.42
<b>Wetlands</b>	98.16	86.18	87.67	87.66

**Lake Trafford**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Uplands</b>	35.01	.	.	.
<b>Urban and Built-up</b>	21.99	0.98	.	.
<b>Wetlands</b>	43.00	99.02	100.00	100.00

**Little Hickory**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Uplands</b>	32.20	8.06	3.81	0.72
<b>Urban and Built-up</b>	62.94	91.81	92.11	96.90
<b>Wetlands</b>	4.86	0.14	4.08	2.38

**Marco Island North**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	0.07	.	.	.
<b>Uplands</b>	2.15	0.61	2.02	2.18
<b>Urban and Built-up</b>	93.06	91.56	90.85	91.31
<b>Wetlands</b>	4.72	7.83	7.13	6.51

**Marco Island South**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Uplands</b>	2.88	1.46	2.50	2.71
<b>Urban and Built-up</b>	4.05	2.31	3.24	2.85
<b>Wetlands</b>	93.07	96.23	94.26	94.44

**Naples**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Uplands</b>	5.92	0.85	0.47	0.38
<b>Urban and Built-up</b>	80.81	86.28	88.30	88.40
<b>Wetlands</b>	13.27	12.87	11.23	11.23

**Naples Bay**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	0.07	.	.	.
<b>Uplands</b>	13.99	5.06	5.88	3.80
<b>Urban and Built-up</b>	81.14	89.45	87.47	89.80
<b>Wetlands</b>	4.80	5.49	6.65	6.41

**North Golden Gate**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	14.01	20.10	8.73	6.18
<b>Uplands</b>	24.87	16.22	10.05	8.37
<b>Urban and Built-up</b>	54.63	46.69	50.97	61.58
<b>Wetlands</b>	6.49	16.98	30.24	23.88

**Collier County Land Use Summary  
1988-2005**

**Oak Creek**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	14.33	19.44	11.98	0.24
<b>Uplands</b>	35.13	28.29	7.95	3.48
<b>Urban and Built-up</b>	29.69	37.67	36.49	75.24
<b>Wetlands</b>	20.86	14.60	43.58	21.05

**Okaloacoochee Slough**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	45.83	38.62	42.30	42.38
<b>Uplands</b>	3.79	16.58	12.80	12.38
<b>Urban and Built-up</b>	0.56	0.46	0.33	0.49
<b>Wetlands</b>	49.81	44.34	44.57	44.75

**Rookery Bay Coastal**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	4.82	3.90	2.86	1.59
<b>Uplands</b>	9.95	8.33	8.64	9.08
<b>Urban and Built-up</b>	6.39	4.50	7.54	9.35
<b>Wetlands</b>	78.84	83.27	80.96	79.98

**Rookery Bay East**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	16.95	23.61	16.81	14.92
<b>Uplands</b>	34.98	6.51	11.51	12.80
<b>Urban and Built-up</b>	7.00	3.85	5.05	7.39
<b>Wetlands</b>	41.07	66.03	66.63	64.89

**Rookery Bay West**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	6.39	6.54	3.23	1.69
<b>Uplands</b>	61.02	22.56	10.93	9.55
<b>Urban and Built-up</b>	26.37	64.21	43.98	53.39
<b>Wetlands</b>	6.22	6.69	41.86	35.37

**Silver Strand**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	62.58	58.19	66.89	66.24
<b>Uplands</b>	9.79	13.73	7.92	7.27
<b>Urban and Built-up</b>	3.26	2.32	2.00	2.28
<b>Wetlands</b>	24.37	25.76	23.19	24.21



**Tamiami Canal**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	2.95	4.32	3.46	3.43
<b>Uplands</b>	3.36	11.53	6.94	6.98
<b>Urban and Built-up</b>	0.50	0.39	0.20	0.21
<b>Wetlands</b>	93.19	83.76	89.40	89.39

**Ten Thousand Islands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Uplands</b>	0.12	0.22	0.63	0.62
<b>Urban and Built-up</b>	1.16	0.49	0.69	0.74
<b>Wetlands</b>	98.73	99.29	98.68	98.63

**Townshend River**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Agriculture</b>	89.99	85.61	86.35	86.58
<b>Uplands</b>	5.17	3.71	2.67	2.17
<b>Urban and Built-up</b>	1.09	0.89	1.11	1.33
<b>Wetlands</b>	3.74	9.80	9.86	9.92

basin\_name=Barron River Canal

**Agriculture**

	Percent composition		
	1988	1995	2005
<b>Land Use</b>			
<b>Horse Farms</b>	.	.	0.02
<b>Improved Pastures</b>	0.16	0.25	.

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Borrow Areas</b>	.	0.09	.	.
<b>Brazilian Pepper</b>	.	.	0.05	0.05
<b>Cabbage Palm</b>	.	.	0.11	0.11
<b>Herbaceous (Dry Prairie)</b>	.	.	0.04	0.16
<b>Levees</b>	.	0.01	.	.
<b>Melaleuca</b>	.	0.03	.	.
<b>Mixed Rangeland</b>	9.37	0.02	1.05	1.05
<b>Palmetto Prairies</b>	.	.	0.04	0.04
<b>Pine Flatwoods</b>	.	6.08	0.21	0.22
<b>Spoil Areas</b>	.	0.28	0.07	0.07
<b>Upland Hardwood Forests</b>	.	.	.	0.05
<b>Upland Mixed Coniferous / Hardwo</b>	.	0.56	.	0.05
<b>Upland Shrub and Brushland</b>	.	.	2.26	2.16
<b>Upland forests</b>	3.53	.	.	.

basin\_name=Barron River Canal

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Commercial and Services</b>	.	.	0.03	0.03
<b>Correctional</b>	0.08	0.10	0.06	0.06
<b>Extractive</b>	0.15	.	.	.
<b>Fixed Single Family Units</b>	0.29	0.22	0.13	0.14
<b>Holding Ponds</b>	.	.	0.01	0.01
<b>Institutional</b>	0.02	.	.	.
<b>Mixed Units, Fixed and Mobile Ho</b>	.	.	0.12	0.13
<b>Mobile Home Units</b>	.	.	0.02	.
<b>Multiple Dwelling Units, Low Ris</b>	.	0.13	.	.
<b>Retail Sales and Services</b>	0.02	.	.	.
<b>Roads and Highways</b>	0.29	1.14	0.40	0.40
<b>Rural Residential</b>	.	.	0.02	0.02
<b>Sand and Gravel Pits</b>	.	0.25	.	.
<b>Wholesale Sales &amp; Services - Jun</b>	0.17	.	.	.

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	20.27	2.28	13.17	13.18
<b>Cypress - Mixed Hardwoods</b>	.	.	9.56	9.55
<b>Cypress - Pine - Cabbage Palm</b>	.	4.64	0.61	0.61
<b>Cypress- Domes/Heads</b>	31.56	.	0.30	0.30
<b>Emergent Aquatic Vegetation</b>	0.00	.	0.09	0.05
<b>Freshwater Marshes - Sawgrass</b>	.	0.71	35.77	35.76
<b>Freshwater Marshes / Graminoid P</b>	26.76	3.97	5.05	5.16
<b>Mixed Shrubs</b>	.	6.66	10.67	10.36
<b>Mixed Wetland Hardwoods</b>	.	.	9.90	9.99
<b>Wet Melaleuca</b>	.	.	.	0.01
<b>Wet Pinelands Hydric Pine</b>	.	.	5.83	5.81

(Continued)

basin\_name=Barron River Canal

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Wet Prairies</b>	.	50.68	3.99	4.04
<b>Wetland Forested Mixed</b>	7.34	21.90	0.43	0.43

basin\_name=Camp Keais

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Citrus Groves</b>	4.20	3.59	3.28	2.48
<b>Fallow Cropland</b>	.	2.04	1.35	0.79
<b>Field Crops</b>	.	.	0.31	0.94
<b>Horse Farms</b>	.	0.02	.	.
<b>Improved Pastures</b>	4.22	4.40	5.45	5.28
<b>Mixed Crops</b>	33.78	.	.	.
<b>Ornamentals</b>	0.18	.	.	.
<b>Row Crops</b>	.	32.81	27.68	27.50
<b>Unimproved Pastures</b>	0.14	0.83	2.44	1.75
<b>Woodland Pastures</b>	.	.	0.46	0.43

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Australian Pine</b>	.	0.01	.	.
<b>Borrow Areas</b>	.	0.00	.	.
<b>Brazilian Pepper</b>	.	1.05	2.02	1.72
<b>Cabbage Palm</b>	0.15	0.01	0.39	0.39
<b>Coniferous Plantations</b>	.	0.02	.	.
<b>Disturbed Land</b>	.	.	0.05	.
<b>Herbaceous (Dry Prairie)</b>	.	0.12	0.45	2.12
<b>Melaleuca</b>	.	0.62	0.31	0.31
<b>Mixed Rangeland</b>	0.88	0.04	.	0.08
<b>Oak - Cabbage Palm Forests</b>	0.14	.	.	.
<b>Palmetto Prairies</b>	.	0.17	0.47	0.48
<b>Pine Flatwoods</b>	6.67	7.76	6.53	6.67
<b>Upland Hardwood Forests</b>	.	.	0.04	0.04
<b>Upland Mixed Coniferous / Hardwo</b>	.	0.34	0.11	0.11
<b>Upland Shrub and Brushland</b>	.	.	0.35	0.50
<b>Upland forests</b>	6.92	.	.	.

basin\_name=Camp Keais

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Airports</b>	0.08	.	.	.
<b>Commercial and Services</b>	.	.	.	0.01
<b>Fixed Single Family Units</b>	0.04	0.09	0.01	0.06
<b>Grass Airports</b>	.	.	0.01	0.01
<b>Inactive Land with Street Patter</b>	0.00	.	0.13	.
<b>Industrial</b>	0.01	.	.	.
<b>Mixed Units, Fixed and Mobile Ho</b>	.	.	0.01	.
<b>Other Light Industry</b>	.	0.23	0.04	0.01
<b>Race Tracks</b>	.	.	.	0.21
<b>Roads and Highways</b>	0.18	0.16	0.17	0.17
<b>Rural Residential</b>	.	.	0.00	0.01

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	17.93	26.03	17.37	17.57
<b>Cypress - Mixed Hardwoods</b>	.	.	1.23	1.19
<b>Cypress - Pine - Cabbage Palm</b>	.	3.60	0.70	0.70
<b>Cypress- Domes/Heads</b>	14.92	.	4.40	4.40
<b>Emergent Aquatic Vegetation</b>	.	0.14	0.07	0.42
<b>Freshwater Marshes - Sawgrass</b>	.	0.05	.	.
<b>Freshwater Marshes / Graminoid P</b>	9.37	5.50	10.29	10.04
<b>Mangrove Swamp</b>	.	0.17	.	.
<b>Mixed Shrubs</b>	.	6.05	4.89	4.92
<b>Mixed Wetland Hardwoods</b>	.	0.10	2.53	2.25
<b>Saltwater Marshes / Halophytic H</b>	.	0.06	.	.
<b>Wet Melaleuca</b>	.	.	0.03	0.03
<b>Wet Pinelands Hydric Pine</b>	.	.	5.44	5.40
<b>Wet Prairies</b>	.	2.14	0.65	0.62
<b>Wetland Coniferous Forests</b>	.	.	0.06	0.06
<b>Wetland Forested Mixed</b>	0.17	1.82	0.28	0.31

basin\_name=Cocohatchee Golf Course

**Agriculture**

	Percent composition		
	1995	1999	2005
<b>Land Use</b>			
<b>Ornamentals</b>	0.41	0.39	0.39

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Disturbed Land</b>	.	.	0.24	.
<b>Herbaceous (Dry Prairie)</b>	.	0.23	.	1.93
<b>Mixed Rangeland</b>	0.14	.	3.21	1.91
<b>Palmetto Prairies</b>	.	.	0.67	0.13
<b>Pine Flatwoods</b>	46.45	35.07	8.67	7.15
<b>Upland Mixed Coniferous / Hardwo</b>	.	2.85	0.11	.
<b>Upland Shrub and Brushland</b>	.	.	0.83	0.12
<b>Upland forests</b>	0.09	.	.	.
<b>Xeric Oak</b>	6.19	.	.	.

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Commercial and Services</b>	.	.	4.89	9.19
<b>Educational Facilities</b>	.	.	.	0.04
<b>Fixed Single Family Units</b>	15.38	18.99	16.10	21.01
<b>Golf Course</b>	0.22	5.10	5.49	5.47
<b>High Density Under Construction</b>	.	.	7.03	.
<b>Inactive Land with Street Patter</b>	0.52	0.02	0.11	.
<b>Industrial</b>	0.20	.	.	.
<b>Institutional</b>	0.05	.	1.27	1.30
<b>Marinas and Fish Camps</b>	0.01	0.15	0.28	0.28

(Continued)

basin\_name=Cocohatchee Golf Course

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Medium Density Under Constructio</b>	.	.	0.18	.
<b>Mobile Home Units</b>	0.03	.	0.15	0.15
<b>Multiple Dwelling Units, High Ri</b>	.	1.93	3.57	6.12
<b>Multiple Dwelling Units, Low Ris</b>	.	7.68	8.33	12.68
<b>Open Land</b>	5.56	.	1.18	0.32
<b>Other Light Industry</b>	.	.	0.10	0.13
<b>Parks and Zoos</b>	.	1.48	0.57	0.54
<b>Retail Sales and Services</b>	1.80	6.81	.	.
<b>Roads and Highways</b>	.	5.17	3.50	3.23
<b>Shopping Centers</b>	2.23	.	2.40	2.52
<b>Urban and Builtup</b>	4.56	.	.	.
<b>Water Supply Plants - Including</b>	0.00	.	.	.
<b>Wholesale Sales &amp; Services</b>	.	0.40	.	.

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	2.96	3.33	3.50	3.23
<b>Cypress - Mixed Hardwoods</b>	.	.	0.53	0.53
<b>Cypress - Pine - Cabbage Palm</b>	.	0.38	.	.
<b>Cypress- Domes/Heads</b>	.	.	0.84	0.72
<b>Freshwater Marshes / Graminoid P</b>	2.24	.	1.63	2.91
<b>Mangrove Swamp</b>	.	0.71	0.65	0.91
<b>Mixed Shrubs</b>	.	0.68	3.53	2.75
<b>Mixed Wetland Hardwoods</b>	.	2.60	0.24	0.24
<b>Saltwater Marshes / Halophytic H</b>	.	.	0.19	0.19
<b>Wet Melaleuca</b>	3.75	.	1.08	0.87
<b>Wet Pinelands Hydric Pine</b>	5.28	.	18.30	12.87
<b>Wet Prairies</b>	.	0.26	.	.
<b>Wetland Forested Mixed</b>	0.38	5.75	0.25	0.20

(Continued)



basin\_name=Cocohatchee Golf Course

**Wetlands**

	<b>Percent composition</b>			
	<b>1988</b>	<b>1995</b>	<b>1999</b>	<b>2005</b>
<b>Land Use</b>				
<b>Wetland Hardwood Forests</b>	1.25	.	.	.
<b>Wetlands</b>	0.71	.	.	.

basin\_name=Cocohatchee Inland

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Citrus Groves</b>	.	.	0.06	0.06
<b>Fallow Cropland</b>	.	7.19	0.17	.
<b>Improved Pastures</b>	1.89	4.66	2.77	0.07
<b>Mixed Crops</b>	17.28	.	.	.
<b>Ornamentals</b>	0.10	.	0.13	0.13
<b>Row Crops</b>	.	14.75	9.30	4.88
<b>Sod Farms</b>	.	2.55	.	.
<b>Specialty Farms</b>	.	.	0.00	.
<b>Tree Nurseries</b>	.	0.16	0.32	0.32
<b>Unimproved Pastures</b>	0.16	3.10	0.15	.
<b>Woodland Pastures</b>	.	.	0.13	0.07

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Australian Pine</b>	.	.	0.00	.
<b>Borrow Areas</b>	.	0.55	.	.
<b>Brazilian Pepper</b>	.	0.30	0.08	.
<b>Disturbed Land</b>	.	.	0.48	0.17
<b>Herbaceous (Dry Prairie)</b>	.	0.12	0.61	1.86
<b>Melaleuca</b>	.	0.87	0.40	0.21
<b>Mixed Rangeland</b>	0.44	0.24	0.05	0.04
<b>Palmetto Prairies</b>	.	.	0.36	0.18
<b>Pine Flatwoods</b>	9.57	6.86	3.68	2.60
<b>Sand Other Than Beaches</b>	.	0.06	.	.
<b>Sand Pine</b>	.	.	0.10	0.02
<b>Spoil Areas</b>	0.06	0.42	0.07	.
<b>Upland Coniferous Forests</b>	.	.	0.07	0.07
<b>Upland Hardwood Forests</b>	.	.	0.03	.
<b>Upland Mixed Coniferous / Hardwo</b>	.	0.62	.	.
<b>Upland Shrub and Brushland</b>	.	.	0.14	0.23

(Continued)

basin\_name=Cocohatchee Inland

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Upland forests</b>	6.61	.	.	.
<b>Xeric Oak</b>	0.96	0.06	.	.

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cemeteries</b>	0.07	0.12	0.13	0.13
<b>Commercial and Services</b>	.	.	0.95	1.25
<b>Commercial and Services Under Co</b>	.	.	0.08	0.13
<b>Educational Facilities</b>	0.08	0.42	0.16	0.33
<b>Electrical Power Facilities</b>	.	.	.	0.01
<b>Electrical Power Transmission Li</b>	.	0.64	0.14	.
<b>Extractive</b>	4.13	.	0.05	.
<b>Fixed Single Family Units</b>	13.36	21.55	16.73	19.82
<b>Golf Course</b>	2.00	7.01	9.74	12.10
<b>High Density Under Construction</b>	.	.	1.37	0.31
<b>Holding Ponds</b>	.	.	1.74	1.99
<b>Inactive Land with Street Patter</b>	0.75	2.80	1.17	.
<b>Industrial</b>	0.11	.	.	.
<b>Institutional</b>	0.03	.	0.14	0.22
<b>Medium Density Under Constructio</b>	.	0.12	0.89	3.98
<b>Mobile Home Units</b>	0.43	.	0.69	0.73
<b>Multiple Dwelling Units, High Ri</b>	.	.	0.56	0.72
<b>Multiple Dwelling Units, Low Ris</b>	.	2.13	2.37	4.56
<b>Open Land</b>	1.31	.	1.25	0.95
<b>Other Heavy Industrial</b>	.	.	0.06	.
<b>Other Light Industry</b>	.	0.13	0.06	0.06
<b>Parks and Zoos</b>	.	.	0.21	0.22
<b>Reclaimed Lands</b>	.	.	0.85	.
<b>Recreational</b>	0.28	.	0.00	0.00

(Continued)

basin\_name=Cocohatchee Inland

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Retail Sales and Services</b>	0.05	0.60	.	.
<b>Roads and Highways</b>	0.87	1.53	1.37	1.94
<b>Sand and Gravel Pits</b>	.	3.75	0.82	2.38
<b>Sewage Treatment</b>	0.06	.	0.31	0.34
<b>Shopping Centers</b>	0.11	0.33	0.40	0.80
<b>Urban and Builtup</b>	0.41	.	.	.
<b>Water Supply Plants - Including</b>	0.02	0.22	0.04	0.04
<b>Wholesale Sales &amp; Services</b>	.	0.04	.	.

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	24.70	4.54	7.43	7.29
<b>Cypress - Mixed Hardwoods</b>	.	.	1.36	1.34
<b>Cypress - Pine - Cabbage Palm</b>	.	2.33	0.07	0.05
<b>Cypress- Domes/Heads</b>	.	.	0.58	0.58
<b>Freshwater Marshes / Graminoid P</b>	0.02	0.02	0.59	2.21
<b>Mangrove Swamp</b>	.	0.34	0.19	0.16
<b>Mixed Shrubs</b>	.	5.37	2.04	1.45
<b>Mixed Wetland Hardwoods</b>	.	0.41	5.35	5.12
<b>Non-Vegetated Wetland</b>	.	.	0.11	0.02
<b>Saltwater Marshes / Halophytic H</b>	.	.	0.02	0.03
<b>Wet Melaleuca</b>	0.66	.	1.58	1.42
<b>Wet Pinelands Hydric Pine</b>	0.04	.	18.15	15.46
<b>Wet Prairies</b>	.	0.35	0.63	0.58
<b>Wetland Forested Mixed</b>	12.87	2.78	0.50	0.33
<b>Wetland Hardwood Forests</b>	0.57	.	.	.

basin\_name=Cocohatchee River

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
Australian Pine	2.17	.	0.19	.
Cabbage Palm	.	.	1.77	1.75
Coastal Shrub	.	0.19	3.66	3.47
Disturbed Land	.	.	0.00	0.04
Palmetto Prairies	.	.	0.06	0.04
Pine Flatwoods	1.27	1.87	0.53	0.13
Sand Pine	.	.	0.12	0.02
Upland Shrub and Brushland	.	.	0.14	0.14
Upland forests	6.11	.	.	.
Xeric Oak	5.09	.	.	.

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
Cemeteries	0.07	0.06	0.02	0.02
Commercial and Services	1.77	.	4.60	4.88
Fixed Single Family Units	18.69	20.76	17.17	17.36
Golf Course	.	0.01	1.39	0.43
High Density Under Construction	.	.	0.30	.
Inactive Land with Street Patter	1.16	0.49	.	.
Low Density Under Construction	.	.	.	0.12
Marinas and Fish Camps	0.61	1.86	0.29	0.29
Medium Density Under Constructio	.	.	0.06	.
Mobile Home Units	0.14	.	0.25	0.25
Multiple Dwelling Units, High Ri	.	7.36	5.73	6.64
Multiple Dwelling Units, Low Ris	.	1.23	0.28	0.29
Open Land	0.39	.	0.66	.
Parks and Zoos	2.56	.	0.41	1.11
Recreational	0.10	.	.	.
Retail Sales and Services	0.45	.	.	.
Roads and Highways	.	0.15	0.30	0.30

(Continued)

basin\_name=Cocohatchee River

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Swimming Beach</b>	1.09	3.04	2.25	3.23
<b>Urban and Builtup</b>	5.30	.	.	.

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	.	0.16	.	.
<b>Freshwater Marshes / Graminoid P</b>	0.00	.	.	.
<b>Mangrove Swamp</b>	.	57.62	47.56	47.78
<b>Mixed Shrubs</b>	.	1.35	0.95	0.57
<b>Mixed Wetland Hardwoods</b>	.	3.35	0.09	0.09
<b>Saltwater Marshes / Halophytic H</b>	0.77	.	8.67	8.76
<b>Tidal Flats</b>	.	.	0.34	0.34
<b>Wet Pinelands Hydric Pine</b>	.	.	0.28	0.19
<b>Wetland Forested Mixed</b>	.	0.51	1.92	1.75
<b>Wetland Hardwood Forests</b>	52.24	.	.	.

basin\_name=Corkscrew Marsh

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Aquaculture</b>	.	0.14	0.13	0.13
<b>Citrus Groves</b>	15.76	22.00	21.07	21.07
<b>Fallow Cropland</b>	.	0.35	0.00	0.01
<b>Field Crops</b>	.	0.18	0.18	0.41
<b>Horse Farms</b>	.	0.03	.	.
<b>Improved Pastures</b>	10.70	4.89	4.32	2.74
<b>Mixed Crops</b>	4.14	.	.	.
<b>Ornamentals</b>	0.12	0.08	0.09	0.10
<b>Row Crops</b>	.	3.89	3.88	4.22
<b>Sod Farms</b>	.	0.04	.	.
<b>Tree Nurseries</b>	.	.	0.11	0.11
<b>Unimproved Pastures</b>	2.89	2.54	1.87	1.34
<b>Woodland Pastures</b>	.	0.05	0.26	0.29

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Borrow Areas</b>	.	0.05	.	.
<b>Brazilian Pepper</b>	.	0.21	0.16	0.10
<b>Cabbage Palm</b>	0.81	0.11	0.34	0.29
<b>Disturbed Land</b>	.	.	0.01	0.24
<b>Herbaceous (Dry Prairie)</b>	.	0.07	0.78	1.08
<b>Melaleuca</b>	.	0.14	0.03	0.03
<b>Mixed Rangeland</b>	0.53	0.18	0.17	0.16
<b>Oak - Cabbage Palm Forests</b>	1.09	.	.	.
<b>Palmetto Prairies</b>	.	0.91	0.03	0.03
<b>Pine Flatwoods</b>	5.81	1.50	2.18	2.11
<b>Spoil Areas</b>	.	0.53	.	.
<b>Upland Hardwood Forests</b>	.	.	0.07	0.07
<b>Upland Mixed Coniferous / Hardwo</b>	.	2.00	1.03	1.03

(Continued)

basin\_name=Corkscrew Marsh

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Upland Shrub and Brushland</b>	.	.	1.62	1.70
<b>Upland forests</b>	10.28	.	.	.

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Airports</b>	.	0.02	.	.
<b>Electrical Power Transmission Li</b>	.	0.21	.	.
<b>Fixed Single Family Units</b>	2.33	1.36	0.10	0.09
<b>Industrial</b>	0.06	.	.	.
<b>Institutional</b>	0.01	.	0.02	0.02
<b>Low Density Under Construction</b>	.	0.02	.	.
<b>Mobile Home Units</b>	.	.	0.04	0.03
<b>Oil and Gas Storage - not Indust</b>	0.01	.	0.01	0.01
<b>Open Land</b>	.	.	.	0.01
<b>Other Light Industry</b>	.	.	0.00	0.00
<b>Parks and Zoos</b>	0.01	.	.	.
<b>Retail Sales and Services</b>	0.02	.	.	.
<b>Rural Residential</b>	.	.	0.79	1.78
<b>Solid Waste Disposal</b>	.	.	0.26	0.20
<b>Water Supply Plants - Including</b>	.	0.01	.	.



basin\_name=Corkscrew Marsh

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	18.73	12.59	15.19	15.20
<b>Cypress - Mixed Hardwoods</b>	.	.	1.43	1.43
<b>Cypress - Pine - Cabbage Palm</b>	.	3.14	1.41	1.41
<b>Cypress- Domes/Heads</b>	.	.	0.65	0.65
<b>Emergent Aquatic Vegetation</b>	.	0.00	0.59	0.04
<b>Freshwater Marshes - Sawgrass</b>	.	0.81	.	.
<b>Freshwater Marshes / Graminoid P</b>	21.84	12.60	20.24	22.46
<b>Mixed Shrubs</b>	.	18.76	10.40	9.09
<b>Mixed Wetland Hardwoods</b>	.	0.17	5.84	5.58
<b>Wet Pinelands Hydric Pine</b>	2.24	.	3.78	3.73
<b>Wet Prairies</b>	.	1.06	0.79	0.90
<b>Wetland Coniferous Forests</b>	.	.	0.01	0.01
<b>Wetland Forested Mixed</b>	2.61	9.35	0.13	0.13

basin\_name=Cow Slough

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Aquaculture</b>	.	0.06	.	.
<b>Citrus Groves</b>	17.40	27.96	24.12	22.66
<b>Fallow Cropland</b>	.	1.61	0.10	3.70
<b>Field Crops</b>	.	.	.	0.42
<b>Improved Pastures</b>	24.55	14.04	19.71	16.01
<b>Mixed Crops</b>	.	.	1.30	1.25
<b>Ornamentals</b>	0.10	0.09	0.23	0.23
<b>Row Crops</b>	.	3.95	2.25	0.13
<b>Tree Nurseries</b>	.	0.73	.	.
<b>Unimproved Pastures</b>	2.85	1.94	1.59	3.90
<b>Woodland Pastures</b>	.	.	7.95	7.35

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Brazilian Pepper</b>	.	0.39	0.16	0.08
<b>Cabbage Palm</b>	6.09	.	2.30	2.31
<b>Disturbed Land</b>	.	.	.	0.86
<b>Herbaceous (Dry Prairie)</b>	.	0.20	2.03	1.63
<b>Live Oak</b>	0.31	.	.	.
<b>Mixed Rangeland</b>	0.33	.	.	.
<b>Oak - Cabbage Palm Forests</b>	0.61	.	.	.
<b>Palmetto Prairies</b>	.	.	0.58	0.55
<b>Pine Flatwoods</b>	9.03	8.08	2.97	2.53
<b>Spoil Areas</b>	.	0.28	.	.
<b>Upland Hardwood Forests</b>	.	.	0.11	0.11
<b>Upland Mixed Coniferous / Hardwo</b>	.	5.69	1.45	1.72
<b>Upland Shrub and Brushland</b>	.	.	.	0.21
<b>Upland forests</b>	21.55	.	.	.

basin\_name=Cow Slough

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cemeteries</b>	.	.	0.18	0.18
<b>Commercial and Services</b>	.	.	0.01	0.01
<b>Educational Facilities</b>	0.14	0.15	0.25	0.26
<b>Electrical Power Transmission Li</b>	.	0.44	.	.
<b>Extractive</b>	0.22	.	.	.
<b>Fixed Single Family Units</b>	5.81	8.07	1.70	1.34
<b>High Density Under Construction</b>	.	.	.	0.16
<b>Institutional</b>	.	.	0.09	0.09
<b>Marinas and Fish Camps</b>	0.06	.	0.05	0.05
<b>Mixed Units, Fixed and Mobile Ho</b>	.	.	3.12	3.02
<b>Mobile Home Units</b>	1.80	.	0.67	0.68
<b>Multiple Dwelling Units, Low Ris</b>	.	0.11	0.16	0.34
<b>Open Land</b>	0.22	.	0.13	0.13
<b>Parks and Zoos</b>	.	0.12	0.07	0.07
<b>Rural Residential</b>	.	.	0.92	2.26

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	0.42	3.94	3.00	2.96
<b>Cypress - Mixed Hardwoods</b>	.	.	0.02	0.02
<b>Cypress - Pine - Cabbage Palm</b>	.	1.19	0.11	0.11
<b>Cypress- Domes/Heads</b>	.	.	0.01	0.01
<b>Emergent Aquatic Vegetation</b>	.	.	0.23	0.81
<b>Freshwater Marshes - Sawgrass</b>	.	0.01	.	.
<b>Freshwater Marshes / Graminoid P</b>	8.53	8.12	12.13	12.06
<b>Mixed Shrubs</b>	.	5.32	2.46	1.88
<b>Mixed Wetland Hardwoods</b>	.	0.52	5.00	4.33
<b>Wet Melaleuca</b>	.	.	0.07	0.07
<b>Wet Pinelands Hydric Pine</b>	.	.	1.68	1.66

(Continued)

basin\_name=Cow Slough

**Wetlands**

	<b>Percent composition</b>			
	<b>1988</b>	<b>1995</b>	<b>1999</b>	<b>2005</b>
<b>Land Use</b>				
<b>Wet Prairies</b>	.	2.85	0.60	1.42
<b>Wetland Forested Mixed</b>	.	4.13	0.49	0.44

basin\_name=Drain to Corkscrew

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Citrus Groves</b>	17.77	40.68	37.08	34.09
<b>Fallow Cropland</b>	.	0.38	0.94	2.29
<b>Field Crops</b>	.	.	0.44	0.35
<b>Horse Farms</b>	.	0.04	.	.
<b>Improved Pastures</b>	34.12	14.01	8.84	9.77
<b>Mixed Crops</b>	0.80	.	.	.
<b>Ornamentals</b>	.	.	0.08	0.08
<b>Other Groves</b>	.	0.09	0.05	0.05
<b>Row Crops</b>	.	6.18	3.79	4.21
<b>Sod Farms</b>	.	0.18	.	.
<b>Unimproved Pastures</b>	1.20	5.38	10.80	5.42
<b>Woodland Pastures</b>	.	0.21	1.28	1.17

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Borrow Areas</b>	.	0.18	.	.
<b>Brazilian Pepper</b>	.	0.10	0.15	0.02
<b>Disturbed Land</b>	.	.	0.04	0.17
<b>Herbaceous (Dry Prairie)</b>	.	0.92	1.11	1.99
<b>Melaleuca</b>	.	0.19	.	.
<b>Mixed Rangeland</b>	4.30	0.78	.	0.33
<b>Palmetto Prairies</b>	.	0.54	0.14	.
<b>Pine Flatwoods</b>	13.16	4.79	9.37	8.34
<b>Sand Other Than Beaches</b>	.	0.05	.	.
<b>Spoil Areas</b>	.	1.02	0.17	0.17
<b>Upland Hardwood Forests</b>	.	.	0.04	0.04
<b>Upland Mixed Coniferous / Hardwo</b>	.	2.00	0.53	0.53
<b>Upland Shrub and Brushland</b>	.	.	0.57	0.51
<b>Upland forests</b>	0.75	.	.	.

basin\_name=Drain to Corkscrew

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Airports</b>	.	0.11	.	.
<b>Communications</b>	.	.	.	0.01
<b>Electrical Power Transmission Li</b>	.	0.43	0.07	0.07
<b>Fixed Single Family Units</b>	1.32	1.93	0.55	0.08
<b>Grass Airports</b>	.	.	0.08	0.08
<b>Holding Ponds</b>	.	.	.	1.59
<b>Inactive Land with Street Patter</b>	0.83	0.11	0.19	0.19
<b>Industrial</b>	0.03	.	.	.
<b>Mixed Units, Fixed and Mobile Ho</b>	.	0.00	.	.
<b>Mobile Home Units</b>	.	.	0.00	.
<b>Multiple Dwelling Units, Low Ris</b>	.	.	.	0.03
<b>Rock Quarries</b>	.	.	.	0.79
<b>Rural Residential</b>	.	.	0.99	4.30

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	13.13	3.72	7.23	7.20
<b>Cypress - Mixed Hardwoods</b>	.	.	0.25	0.24
<b>Cypress - Pine - Cabbage Palm</b>	.	2.60	0.29	0.19
<b>Cypress- Domes/Heads</b>	1.64	.	1.85	1.85
<b>Emergent Aquatic Vegetation</b>	.	0.00	.	.
<b>Freshwater Marshes / Graminoid P</b>	2.04	4.38	2.64	3.34
<b>Mixed Shrubs</b>	.	1.51	1.13	1.01
<b>Mixed Wetland Hardwoods</b>	.	0.08	1.11	1.27
<b>Wet Melaleuca</b>	.	.	0.55	0.55
<b>Wet Pinelands Hydric Pine</b>	3.43	.	4.71	4.58
<b>Wet Prairies</b>	.	2.15	1.39	1.55
<b>Wetland Coniferous Forests</b>	.	.	0.09	0.09
<b>Wetland Forested Mixed</b>	5.47	5.26	1.46	1.46

basin\_name=Faka Union North

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Citrus Groves</b>	.	.	.	0.04
<b>Fallow Cropland</b>	.	0.71	.	0.43
<b>Improved Pastures</b>	9.19	17.48	0.29	0.82
<b>Mixed Crops</b>	0.39	.	.	.
<b>Ornamentals</b>	.	0.28	0.21	0.14
<b>Other Groves</b>	.	.	0.03	0.03
<b>Row Crops</b>	.	3.64	2.45	0.22
<b>Unimproved Pastures</b>	.	3.52	0.18	0.15
<b>Woodland Pastures</b>	.	.	.	0.07

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Borrow Areas</b>	.	0.08	.	.
<b>Brazilian Pepper</b>	.	0.47	0.83	0.65
<b>Cabbage Palm</b>	.	.	0.06	1.25
<b>Disturbed Land</b>	.	.	0.19	1.32
<b>Herbaceous (Dry Prairie)</b>	.	0.02	7.74	4.93
<b>Melaleuca</b>	.	0.40	.	.
<b>Mixed Rangeland</b>	.	1.69	0.07	5.17
<b>Palmetto Prairies</b>	.	1.75	2.24	2.47
<b>Pine Flatwoods</b>	0.00	2.50	3.91	5.65
<b>Spoil Areas</b>	.	0.02	.	.
<b>Upland Mixed Coniferous / Hardwo</b>	.	.	0.25	0.16
<b>Upland Shrub and Brushland</b>	.	.	4.04	3.20
<b>Upland forests</b>	30.87	.	.	.

basin\_name=Faka Union North

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Airports</b>	0.03	.	.	.
<b>Communications</b>	.	.	0.02	0.02
<b>Educational Facilities</b>	.	.	.	0.13
<b>Fixed Single Family Units</b>	30.18	6.30	5.34	6.31
<b>Inactive Land with Street Patter</b>	0.14	.	22.29	3.89
<b>Industrial</b>	0.03	.	.	.
<b>Mixed Units, Fixed and Mobile Ho</b>	.	.	0.01	.
<b>Mobile Home Units</b>	.	.	0.05	0.05
<b>Open Land</b>	.	.	.	0.32
<b>Other Light Industry</b>	.	0.02	.	.
<b>Parks and Zoos</b>	.	.	0.02	0.02
<b>Race Tracks</b>	.	.	.	0.01
<b>Roads and Highways</b>	0.26	0.66	0.35	0.35
<b>Rural Residential</b>	.	.	3.25	22.89

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	3.09	1.39	2.81	2.34
<b>Cypress - Mixed Hardwoods</b>	.	.	1.82	1.74
<b>Cypress - Pine - Cabbage Palm</b>	.	52.66	10.79	8.65
<b>Cypress- Domes/Heads</b>	0.49	.	0.09	0.09
<b>Emergent Aquatic Vegetation</b>	.	.	0.01	.
<b>Freshwater Marshes / Graminoid P</b>	3.15	0.49	0.68	0.64
<b>Mangrove Swamp</b>	.	0.89	.	.
<b>Mixed Shrubs</b>	.	2.47	11.68	10.04
<b>Mixed Wetland Hardwoods</b>	.	0.03	7.37	7.21
<b>Wet Melaleuca</b>	.	.	0.03	0.03
<b>Wet Pinelands Hydric Pine</b>	.	.	8.39	6.75
<b>Wet Prairies</b>	.	2.11	2.54	1.82
<b>Wetland Forested Mixed</b>	22.18	0.43	.	.



basin\_name=Faka Union South

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Horse Farms</b>	0.01	.	.	.
<b>Improved Pastures</b>	.	0.04	.	.
<b>Ornamentals</b>	.	.	0.03	.
<b>Row Crops</b>	.	0.03	0.04	.
<b>Unimproved Pastures</b>	.	0.08	.	.
<b>Woodland Pastures</b>	.	0.02	0.01	0.02

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Borrow Areas</b>	.	0.01	.	.
<b>Brazilian Pepper</b>	.	0.02	0.01	0.01
<b>Cabbage Palm</b>	.	.	0.24	0.24
<b>Herbaceous (Dry Prairie)</b>	.	.	0.30	0.33
<b>Melaleuca</b>	.	0.69	0.03	0.03
<b>Palmetto Prairies</b>	.	0.03	0.33	0.33
<b>Pine Flatwoods</b>	.	1.02	1.59	1.60
<b>Spoil Areas</b>	.	0.15	.	.
<b>Upland Shrub and Brushland</b>	.	.	1.22	1.19
<b>Upland forests</b>	0.73	.	.	.

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Airports</b>	0.01	0.01	.	.
<b>Commercial and Services</b>	0.03	.	0.15	0.15
<b>Fixed Single Family Units</b>	0.21	0.26	0.02	0.02
<b>Holding Ponds</b>	.	.	.	0.01

(Continued)

basin\_name=Faka Union South

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Inactive Land with Street Patter</b>	21.13	.	.	.
<b>Multiple Dwelling Units, Low Ris</b>	.	.	.	0.00
<b>Open Land</b>	0.15	.	.	0.01
<b>Private Airports</b>	.	.	0.01	.
<b>Recreational</b>	0.06	.	.	.
<b>Roads and Highways</b>	0.15	0.08	0.15	0.15
<b>Rural Residential</b>	.	.	0.13	0.13
<b>Sand and Gravel Pits</b>	.	.	.	0.04
<b>Wholesale Sales &amp; Services</b>	.	0.02	.	.

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	3.38	2.98	4.11	4.77
<b>Cypress - Mixed Hardwoods</b>	.	.	8.76	14.92
<b>Cypress - Pine - Cabbage Palm</b>	.	70.95	0.92	0.92
<b>Cypress- Domes/Heads</b>	12.60	.	.	.
<b>Emergent Aquatic Vegetation</b>	.	.	0.01	0.01
<b>Freshwater Marshes - Sawgrass</b>	.	.	1.81	1.81
<b>Freshwater Marshes / Graminoid P</b>	0.30	1.74	1.03	1.04
<b>Mangrove Swamp</b>	.	0.58	1.24	1.24
<b>Mixed Shrubs</b>	.	2.78	37.33	38.17
<b>Mixed Wetland Hardwoods</b>	.	.	16.69	9.31
<b>Saltwater Marshes / Halophytic H</b>	6.70	2.16	2.11	2.14
<b>Wet Melaleuca</b>	.	.	0.01	0.01
<b>Wet Pinelands Hydric Pine</b>	.	.	17.69	17.36
<b>Wet Prairies</b>	.	7.32	3.39	3.41
<b>Wetland Forested Mixed</b>	54.26	9.02	0.63	0.63
<b>Wetland Hardwood Forests</b>	0.29	.	.	.

**basin\_name=Fakahatchee Strand**

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Citrus Groves</b>	.	0.09	0.08	0.08
<b>Fallow Cropland</b>	.	0.04	.	.
<b>Improved Pastures</b>	0.60	0.84	.	.
<b>Mixed Crops</b>	0.30	.	.	.
<b>Row Crops</b>	.	0.21	0.18	0.18

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Borrow Areas</b>	.	0.08	.	.
<b>Brazilian Pepper</b>	.	0.19	0.03	0.03
<b>Cabbage Palm</b>	0.44	.	0.18	0.18
<b>Herbaceous (Dry Prairie)</b>	.	0.00	0.03	0.04
<b>Levees</b>	.	0.02	.	.
<b>Melaleuca</b>	.	0.37	.	.
<b>Mixed Rangeland</b>	3.18	0.02	.	.
<b>Oak - Cabbage Palm Forests</b>	0.25	.	0.09	0.09
<b>Palmetto Prairies</b>	.	0.03	0.16	0.15
<b>Pine Flatwoods</b>	0.06	0.93	0.82	0.82
<b>Spoil Areas</b>	.	0.12	0.03	0.03
<b>Upland Mixed Coniferous / Hardwo</b>	.	0.06	0.03	0.03
<b>Upland Shrub and Brushland</b>	.	.	0.03	0.03
<b>Upland forests</b>	0.83	.	.	.

**basin\_name=Fakahatchee Strand**

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Airports</b>	.	0.02	.	.
<b>Extractive</b>	0.25	.	.	.
<b>Fixed Single Family Units</b>	.	0.03	.	.
<b>Holding Ponds</b>	.	.	0.06	0.06
<b>Institutional</b>	0.00	.	.	.
<b>Marinas and Fish Camps</b>	.	0.01	.	.
<b>Mixed Units, Fixed and Mobile Ho</b>	.	.	0.02	0.03
<b>Multiple Dwelling Units, Low Ris</b>	.	.	.	0.00
<b>Open Land</b>	0.00	.	.	.
<b>Parks and Zoos</b>	0.00	.	.	.
<b>Retail Sales and Services</b>	0.01	.	.	.
<b>Roads and Highways</b>	0.33	0.23	0.21	0.21
<b>Sand and Gravel Pits</b>	.	0.13	0.04	0.03
<b>Wholesale Sales &amp; Services</b>	.	0.00	.	.
<b>Wholesale Sales &amp; Services - Jun</b>	0.09	.	.	.

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	35.15	30.32	32.38	32.57
<b>Cypress - Mixed Hardwoods</b>	.	.	18.49	20.09
<b>Cypress - Pine - Cabbage Palm</b>	.	5.94	0.63	0.63
<b>Cypress- Domes/Heads</b>	21.53	.	0.69	0.75
<b>Emergent Aquatic Vegetation</b>	1.80	0.00	0.11	0.09
<b>Freshwater Marshes - Sawgrass</b>	.	.	8.57	8.57
<b>Freshwater Marshes / Graminoid P</b>	14.91	0.34	2.03	2.14
<b>Mangrove Swamp</b>	0.03	0.46	1.09	1.09
<b>Mixed Shrubs</b>	.	4.41	7.30	7.85
<b>Mixed Wetland Hardwoods</b>	.	0.01	12.14	10.28
<b>Saltwater Marshes / Halophytic H</b>	0.42	4.56	4.35	4.34
<b>Wet Melaleuca</b>	0.19	.	.	.

(Continued)

**basin\_name=Fakahatchee Strand**

**Wetlands**

	<b>Percent composition</b>			
	<b>1988</b>	<b>1995</b>	<b>1999</b>	<b>2005</b>
<b>Land Use</b>				
<b>Wet Pinelands Hydric Pine</b>	0.16	.	5.31	4.75
<b>Wet Prairies</b>	.	16.09	4.70	4.63
<b>Wetland Coniferous Forests</b>	.	.	0.06	0.06
<b>Wetland Forested Mixed</b>	18.96	34.44	0.16	0.17
<b>Wetland Hardwood Forests</b>	0.51	.	.	.

basin\_name=Gordon River Extension

**Agriculture**

	Percent composition		
	1988	1995	1999
<b>Land Use</b>			
<b>Citrus Groves</b>	0.24	.	.
<b>Fallow Cropland</b>	.	2.70	.
<b>Improved Pastures</b>	.	0.69	.
<b>Ornamentals</b>	1.49	0.02	.
<b>Row Crops</b>	.	1.20	1.11
<b>Unimproved Pastures</b>	.	0.57	.

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Australian Pine</b>	0.12	0.34	0.48	0.46
<b>Brazilian Pepper</b>	.	0.78	0.92	0.44
<b>Disturbed Land</b>	.	.	0.42	.
<b>Herbaceous (Dry Prairie)</b>	.	.	.	0.42
<b>Melaleuca</b>	.	.	1.34	0.11
<b>Mixed Rangeland</b>	1.50	.	1.62	.
<b>Pine Flatwoods</b>	17.24	7.30	5.41	3.28
<b>Spoil Areas</b>	.	0.56	.	.
<b>Upland Mixed Coniferous / Hardwo</b>	.	1.15	0.83	0.84
<b>Upland Shrub and Brushland</b>	.	.	0.71	1.42
<b>Upland forests</b>	3.52	.	.	.

basin\_name=Gordon River Extension

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Commercial and Services</b>	0.66	.	5.46	6.49
<b>Commercial and Services Under Co</b>	.	.	0.21	.
<b>Educational Facilities</b>	2.59	2.68	2.53	2.55
<b>Electrical Power Facilities</b>	.	.	0.05	0.05
<b>Fixed Single Family Units</b>	25.44	30.65	29.16	29.25
<b>Golf Course</b>	16.00	17.68	16.66	19.39
<b>Inactive Land with Street Patter</b>	0.05	0.76	.	0.18
<b>Industrial</b>	6.54	.	.	.
<b>Institutional</b>	0.85	.	0.73	0.74
<b>Low Density Under Construction</b>	.	.	.	0.62
<b>Medium Density Under Constructio</b>	.	.	0.24	1.05
<b>Mobile Home Units</b>	0.16	.	0.62	0.63
<b>Multiple Dwelling Units, High Ri</b>	.	5.96	3.76	4.36
<b>Multiple Dwelling Units, Low Ris</b>	.	5.36	4.40	5.16
<b>Open Land</b>	3.97	.	1.38	1.15
<b>Other Heavy Industrial</b>	.	.	0.26	0.26
<b>Other Light Industry</b>	.	8.32	7.16	7.23
<b>Parks and Zoos</b>	0.86	.	.	.
<b>Recreational</b>	0.24	.	0.38	0.38
<b>Retail Sales and Services</b>	3.84	.	.	.
<b>Roads and Highways</b>	.	2.86	2.80	2.90
<b>Rural Residential</b>	.	.	.	1.45
<b>Sewage Treatment</b>	0.14	0.16	0.16	0.16
<b>Shopping Centers</b>	1.62	1.65	1.75	1.80
<b>Urban and Builtup</b>	9.95	.	.	.

basin\_name=Gordon River Extension

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	1.01	1.04	0.73	0.74
<b>Cypress - Mixed Hardwoods</b>	.	.	0.67	0.68
<b>Cypress - Pine - Cabbage Palm</b>	.	1.87	0.09	.
<b>Mangrove Swamp</b>	.	1.69	1.41	1.42
<b>Mixed Shrubs</b>	.	.	0.65	0.05
<b>Mixed Wetland Hardwoods</b>	.	.	4.65	3.95
<b>Wet Pinelands Hydric Pine</b>	.	.	1.22	0.36
<b>Wet Prairies</b>	.	.	0.03	0.03
<b>Wetland Forested Mixed</b>	0.20	3.99	.	.
<b>Wetland Hardwood Forests</b>	1.75	.	.	.



basin\_name=Immokalee

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Citrus Groves</b>	3.61	10.54	10.15	9.80
<b>Fallow Cropland</b>	.	1.02	.	.
<b>Field Crops</b>	.	1.72	1.55	3.40
<b>Horse Farms</b>	.	1.02	.	.
<b>Improved Pastures</b>	33.11	6.02	4.73	3.18
<b>Mixed Crops</b>	9.76	.	.	.
<b>Row Crops</b>	.	29.90	28.48	28.20
<b>Unimproved Pastures</b>	0.49	0.40	3.53	3.16
<b>Woodland Pastures</b>	.	0.16	1.21	1.35

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Abandoned Groves</b>	.	.	.	0.15
<b>Brazilian Pepper</b>	.	0.06	1.76	1.45
<b>Herbaceous (Dry Prairie)</b>	.	0.15	2.44	2.51
<b>Melaleuca</b>	.	0.14	.	.
<b>Mixed Rangeland</b>	.	0.39	.	.
<b>Palmetto Prairies</b>	.	1.46	0.05	0.05
<b>Pine Flatwoods</b>	3.84	1.93	2.59	2.50
<b>Spoil Areas</b>	0.14	.	0.19	.
<b>Upland Shrub and Brushland</b>	.	.	.	0.01
<b>Upland forests</b>	21.72	.	.	.

basin\_name=Immokalee

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Airports</b>	0.52	0.85	0.84	0.84
<b>Cemeteries</b>	.	.	0.06	0.06
<b>Commercial and Services</b>	.	.	3.01	3.01
<b>Communications</b>	.	.	0.06	0.08
<b>Educational Facilities</b>	1.43	1.39	2.05	2.03
<b>Electrical Power Facilities</b>	0.07	.	.	.
<b>Electrical Power Transmission Li</b>	.	0.62	.	.
<b>Fixed Single Family Units</b>	9.47	16.66	7.37	7.00
<b>Inactive Land with Street Patter</b>	0.21	0.07	.	.
<b>Industrial</b>	2.47	.	.	.
<b>Institutional</b>	0.20	.	0.75	0.70
<b>Mixed Units, Fixed and Mobile Ho</b>	.	.	2.16	2.14
<b>Mobile Home Units</b>	1.26	.	1.73	1.75
<b>Multiple Dwelling Units, High Ri</b>	.	0.08	.	.
<b>Multiple Dwelling Units, Low Ris</b>	.	0.16	0.58	0.77
<b>Open Land</b>	4.13	.	0.08	0.08
<b>Other Light Industry</b>	.	3.36	2.57	2.65
<b>Retail Sales and Services</b>	1.46	0.03	.	.
<b>Rural Residential</b>	.	.	0.18	0.50
<b>Shopping Centers</b>	.	0.01	0.23	0.23
<b>Urban and Builtup</b>	0.00	.	.	.
<b>Water Supply Plants - Including</b>	.	0.51	0.28	0.36
<b>Wholesale Sales &amp; Services - Jun</b>	0.05	.	.	0.07

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	1.56	5.10	3.11	3.09
<b>Cypress - Mixed Hardwoods</b>	.	.	0.63	0.58
<b>Cypress - Pine - Cabbage Palm</b>	.	2.45	0.18	0.18
<b>Cypress- Domes/Heads</b>	.	.	0.13	0.13

(Continued)

basin\_name=Immokalee

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Emergent Aquatic Vegetation</b>	.	.	0.18	.
<b>Freshwater Marshes / Graminoid P</b>	1.11	4.91	6.85	7.34
<b>Mixed Shrubs</b>	.	3.02	1.88	2.12
<b>Mixed Wetland Hardwoods</b>	.	0.75	6.24	6.14
<b>Wet Pinelands Hydric Pine</b>	.	.	1.17	1.04
<b>Wet Prairies</b>	.	1.89	0.51	0.87
<b>Wetland Forested Mixed</b>	3.38	3.25	0.49	0.49

basin\_name=L-28

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Citrus Groves</b>	0.02	.	.	.
<b>Improved Pastures</b>	0.11	0.09	0.16	0.16
<b>Unimproved Pastures</b>	.	2.54	0.36	0.36
<b>Woodland Pastures</b>	.	0.12	0.12	0.12

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Brazilian Pepper</b>	.	0.03	0.02	0.02
<b>Cabbage Palm</b>	.	.	0.18	0.18
<b>Herbaceous (Dry Prairie)</b>	.	0.01	0.04	0.04
<b>Levees</b>	0.26	.	.	0.24
<b>Live Oak</b>	.	.	0.02	0.02
<b>Melaleuca</b>	.	0.11	0.06	0.06
<b>Mixed Rangeland</b>	.	.	0.00	0.00
<b>Oak - Cabbage Palm Forests</b>	.	.	0.70	0.70
<b>Palmetto Prairies</b>	.	.	0.84	0.84
<b>Pine Flatwoods</b>	0.48	9.21	2.30	2.30
<b>Spoil Areas</b>	.	0.26	0.24	.
<b>Upland Hardwood Forests</b>	.	.	1.93	1.93
<b>Upland Mixed Coniferous / Hardwo</b>	.	0.84	4.35	4.35
<b>Upland Shrub and Brushland</b>	.	.	0.58	0.58

basin\_name=L-28

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Airports</b>	.	0.08	.	.
<b>Fixed Single Family Units</b>	0.62	0.09	.	.
<b>Grass Airports</b>	.	.	0.02	0.02
<b>Industrial</b>	0.01	.	.	.
<b>Mobile Home Units</b>	.	.	0.01	0.01
<b>Roads and Highways</b>	0.34	0.44	0.34	0.34
<b>Rural Residential</b>	.	.	0.04	0.04

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Bay Swamps</b>	.	0.01	0.02	0.02
<b>Bayhead</b>	.	.	0.00	0.00
<b>Cypress</b>	9.55	59.50	18.35	18.35
<b>Cypress - Mixed Hardwoods</b>	.	.	4.36	4.36
<b>Cypress - Pine - Cabbage Palm</b>	.	2.71	2.72	2.72
<b>Cypress- Domes/Heads</b>	83.73	.	15.28	15.29
<b>Emergent Aquatic Vegetation</b>	.	.	0.01	0.03
<b>Freshwater Marshes - Sawgrass</b>	.	0.06	4.05	3.97
<b>Freshwater Marshes / Graminoid P</b>	1.10	2.87	1.37	1.38
<b>Mixed Shrubs</b>	.	7.86	35.42	35.51
<b>Mixed Wetland Hardwoods</b>	.	0.11	0.65	0.65
<b>Saltwater Marshes / Halophytic H</b>	.	0.05	.	.
<b>Wet Melaleuca</b>	.	.	0.00	0.00
<b>Wet Pinelands Hydric Pine</b>	3.79	.	1.78	1.78
<b>Wet Prairies</b>	.	8.63	3.45	3.41
<b>Wetland Forested Mixed</b>	.	4.39	0.20	0.20

basin\_name=Lake Trafford

**Uplands**

	Percent composition
	1988
<b>Land Use</b>	
<b>Cabbage Palm</b>	4.71
<b>Upland forests</b>	30.30

**Urban and Built-up**

	Percent composition	
	1988	1995
<b>Land Use</b>		
<b>Fixed Single Family Units</b>	18.01	0.98
<b>Marinas and Fish Camps</b>	3.98	.
<b>Parks and Zoos</b>	.	0.00

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	.	4.10	.	.
<b>Emergent Aquatic Vegetation</b>	.	.	10.01	76.83
<b>Freshwater Marshes / Graminoid P</b>	43.00	46.36	89.99	23.17
<b>Mixed Shrubs</b>	.	14.41	.	.
<b>Wetland Forested Mixed</b>	.	34.15	.	.

basin\_name=Little Hickory

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Palmetto Prairies</b>	.	.	2.03	.
<b>Pine Flatwoods</b>	9.88	8.06	.	.
<b>Sand Pine</b>	.	.	1.78	0.72
<b>Xeric Oak</b>	22.32	.	.	.

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Commercial and Services</b>	.	.	4.13	4.79
<b>Fixed Single Family Units</b>	35.30	39.41	44.82	47.73
<b>Golf Course</b>	.	29.49	16.21	13.78
<b>High Density Under Construction</b>	.	.	0.88	.
<b>Inactive Land with Street Patter</b>	.	.	0.62	.
<b>Institutional</b>	.	.	1.29	1.30
<b>Low Density Under Construction</b>	.	.	.	2.82
<b>Multiple Dwelling Units, High Ri</b>	.	1.71	5.75	7.96
<b>Multiple Dwelling Units, Low Ris</b>	.	18.54	18.41	18.53
<b>Retail Sales and Services</b>	1.57	2.66	.	.
<b>Urban and Builtup</b>	26.06	.	.	.

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Emergent Aquatic Vegetation</b>	.	.	0.40	0.34
<b>Freshwater Marshes / Graminoid P</b>	2.58	.	1.49	1.50
<b>Mangrove Swamp</b>	.	0.14	.	.
<b>Saltwater Marshes / Halophytic H</b>	.	.	0.16	0.16

(Continued)

basin\_name=Little Hickory

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Wetland Forested Mixed</b>	2.27	.	2.03	0.38
<b>Wetland Hardwood Forests</b>	0.00	.	.	.



basin\_name=Marco Island North

**Agriculture**

	Percent composition
	1988
Land Use	
Ornamentals	0.07

**Uplands**

	Percent composition			
	1988	1995	1999	2005
Land Use				
Australian Pine	1.93	0.00	.	.
Coastal Shrub	.	.	1.21	1.03
Disturbed Land	.	.	0.21	0.21
Spoil Areas	.	0.47	0.22	0.22
Upland Hardwood Forests	.	.	0.38	0.47
Upland Mixed Coniferous / Hardwo	.	0.14	.	.
Upland Shrub and Brushland	.	.	.	0.24
Upland forests	0.22	.	.	.

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
Land Use				
Cemeteries	.	.	0.09	0.09
Commercial and Services	1.19	.	10.65	6.24
Educational Facilities	0.52	0.82	0.47	0.47
Fixed Single Family Units	63.83	81.48	63.60	63.56
Golf Course	3.50	4.17	3.67	3.67
High Density Under Construction	.	.	0.15	0.10
Inactive Land with Street Patter	4.41	0.44	1.01	1.01
Institutional	0.48	.	0.68	0.78
Marinas and Fish Camps	0.26	0.11	0.38	0.44
Multiple Dwelling Units, High Ri	.	0.34	3.02	6.98

(Continued)

basin\_name=Marco Island North

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Multiple Dwelling Units, Low Ris</b>	.	2.01	3.43	4.34
<b>Open Land</b>	3.79	.	0.89	0.65
<b>Parks and Zoos</b>	.	0.30	0.60	0.60
<b>Recreational</b>	0.72	.	.	.
<b>Retail Sales and Services</b>	3.12	.	.	.
<b>Roads and Highways</b>	.	.	0.09	0.09
<b>Sewage Treatment</b>	.	0.39	0.23	0.23
<b>Shopping Centers</b>	0.55	0.37	0.43	0.43
<b>Solid Waste Disposal</b>	0.11	.	.	.
<b>Swimming Beach</b>	2.07	0.91	1.28	1.45
<b>Urban and Builtup</b>	8.35	.	.	.
<b>Water Supply Plants - Including</b>	0.17	0.23	0.19	0.19

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Mangrove Swamp</b>	.	7.54	5.63	5.18
<b>Saltwater Marshes / Halophytic H</b>	.	0.07	0.12	0.08
<b>Tidal Flats</b>	.	0.22	1.38	1.26
<b>Wetland Hardwood Forests</b>	4.72	.	.	.

basin\_name=Marco Island South

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cabbage Palm</b>	.	.	0.14	0.14
<b>Coastal Shrub</b>	.	1.03	1.07	1.07
<b>Disturbed Land</b>	.	.	0.14	0.14
<b>Herbaceous (Dry Prairie)</b>	.	.	.	0.17
<b>Spoil Areas</b>	.	0.43	0.03	0.03
<b>Upland Hardwood Forests</b>	.	.	1.12	1.13
<b>Upland Shrub and Brushland</b>	.	.	.	0.03
<b>Upland forests</b>	2.88	.	.	.

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Commercial and Services</b>	0.13	.	.	.
<b>Fixed Single Family Units</b>	1.41	0.00	0.76	0.77
<b>Inactive Land with Street Patter</b>	0.13	2.08	.	.
<b>Marinas and Fish Camps</b>	0.18	0.04	0.41	0.41
<b>Mobile Home Units</b>	0.38	.	0.46	0.46
<b>Multiple Dwelling Units, High Ri</b>	.	0.09	0.15	0.19
<b>Multiple Dwelling Units, Low Ris</b>	.	0.09	.	.
<b>Open Land</b>	0.18	.	0.12	0.12
<b>Swimming Beach</b>	1.59	.	1.34	0.90
<b>Urban and Builtup</b>	0.05	.	.	.

basin\_name=Marco Island South

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Mangrove Swamp</b>	.	86.44	72.53	72.59
<b>Saltwater Marshes / Halophytic H</b>	.	1.55	0.80	0.79
<b>Tidal Flats</b>	.	8.23	20.92	21.05
<b>Wetland Hardwood Forests</b>	93.07	.	.	.

basin\_name=Naples

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Brazilian Pepper</b>	.	.	0.37	0.37
<b>Coastal Shrub</b>	.	0.85	.	.
<b>Disturbed Land</b>	.	.	0.09	.
<b>Melaleuca</b>	.	.	0.00	0.00
<b>Pine Flatwoods</b>	5.92	.	.	.

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Commercial and Services</b>	0.51	.	3.84	3.94
<b>Commercial and Services Under Co</b>	.	.	0.09	.
<b>Educational Facilities</b>	0.35	0.50	0.38	0.38
<b>Fixed Single Family Units</b>	34.94	54.20	39.99	39.50
<b>Golf Course</b>	7.65	10.88	8.01	7.98
<b>High Density Under Construction</b>	.	.	0.55	0.40
<b>Inactive Land with Street Patter</b>	9.06	0.89	.	.
<b>Industrial</b>	0.09	.	.	.
<b>Institutional</b>	0.51	.	1.15	1.15
<b>Marinas and Fish Camps</b>	0.09	.	.	.
<b>Mobile Home Units</b>	0.21	.	.	.
<b>Multiple Dwelling Units, High Ri</b>	.	3.67	15.52	15.91
<b>Multiple Dwelling Units, Low Ris</b>	.	8.46	8.57	9.12
<b>Open Land</b>	1.71	.	0.24	0.10
<b>Parks and Zoos</b>	0.40	0.76	0.21	0.21
<b>Recreational</b>	0.14	.	0.41	0.41
<b>Retail Sales and Services</b>	4.61	0.40	.	.
<b>Roads and Highways</b>	.	2.55	3.49	3.50
<b>Sewage Treatment</b>	.	0.37	0.29	0.29
<b>Shopping Centers</b>	1.14	1.23	2.71	2.71
<b>Swimming Beach</b>	3.17	2.38	2.66	2.62
<b>Transportation</b>	.	.	0.18	0.18

(Continued)

basin\_name=Naples

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Urban and Builtup</b>	15.92	.	.	.
<b>Water Supply Plants - Including</b>	0.30	.	.	.

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	.	0.39	0.07	0.07
<b>Emergent Aquatic Vegetation</b>	.	.	0.06	.
<b>Mangrove Swamp</b>	.	12.48	9.87	9.87
<b>Saltwater Marshes / Halophytic H</b>	.	.	0.84	0.90
<b>Tidal Flats</b>	.	.	0.39	0.39
<b>Wetland Hardwood Forests</b>	13.27	.	.	.

basin\_name=Naples Bay

**Agriculture**

	Percent composition
	1988
<b>Land Use</b>	
<b>Mixed Crops</b>	0.04
<b>Ornamentals</b>	0.03

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Australian Pine</b>	0.55	2.23	1.30	1.16
<b>Brazilian Pepper</b>	.	1.04	0.45	0.33
<b>Coastal Shrub</b>	.	0.00	.	.
<b>Disturbed Land</b>	.	.	0.16	0.05
<b>Herbaceous (Dry Prairie)</b>	.	.	0.37	.
<b>Melaleuca</b>	.	0.05	0.54	0.16
<b>Oak - Cabbage Palm Forests</b>	0.15	.	.	.
<b>Pine - Mesic Oak</b>	0.07	.	.	.
<b>Pine Flatwoods</b>	10.37	1.68	1.86	1.01
<b>Sand Pine</b>	.	.	0.37	0.37
<b>Upland Hardwood Forests</b>	.	.	0.19	0.17
<b>Upland Mixed Coniferous / Hardwo</b>	.	0.05	0.20	0.19
<b>Upland Shrub and Brushland</b>	.	.	0.44	0.35
<b>Upland forests</b>	2.85	.	.	.

basin\_name=Naples Bay

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Airports</b>	7.65	6.79	5.94	6.41
<b>Commercial and Services</b>	0.62	.	10.62	12.09
<b>Educational Facilities</b>	1.06	0.85	1.04	1.08
<b>Electrical Power Facilities</b>	.	.	0.02	0.02
<b>Extractive</b>	0.18	.	.	.
<b>Fixed Single Family Units</b>	37.47	43.84	37.79	35.96
<b>Golf Course</b>	1.14	7.03	5.86	5.90
<b>High Density Under Construction</b>	.	.	0.01	0.41
<b>Inactive Land with Street Patter</b>	2.54	0.29	0.55	.
<b>Industrial</b>	2.45	.	.	.
<b>Institutional</b>	0.81	.	0.36	0.36
<b>Marinas and Fish Camps</b>	0.50	0.85	0.44	0.34
<b>Medium Density Under Constructio</b>	.	0.15	.	0.27
<b>Mobile Home Units</b>	2.51	.	2.37	2.39
<b>Multiple Dwelling Units, High Ri</b>	.	6.05	1.10	1.18
<b>Multiple Dwelling Units, Low Ris</b>	.	12.82	12.77	12.63
<b>Oil and Gas Storage - not Indust</b>	0.02	.	.	.
<b>Open Land</b>	3.89	.	1.50	1.33
<b>Other Light Industry</b>	.	4.40	2.16	2.11
<b>Parks and Zoos</b>	0.05	.	0.53	0.65
<b>Railroads and Railyards</b>	.	0.02	.	.
<b>Recreational</b>	0.28	.	0.19	0.19
<b>Retail Sales and Services</b>	5.87	0.42	.	.
<b>Roads and Highways</b>	.	1.93	2.06	2.14
<b>Rural Residential</b>	.	.	.	2.27
<b>Sewage Treatment</b>	0.33	0.33	0.19	0.19
<b>Shopping Centers</b>	1.60	3.25	1.47	1.43
<b>Solid Waste Disposal</b>	0.26	.	.	.
<b>Swimming Beach</b>	0.34	0.42	0.41	0.40
<b>Urban and Builtup</b>	11.53	.	.	.
<b>Water Supply Plants - Including</b>	0.04	.	0.06	0.06



basin\_name=Naples Bay

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	.	0.08	.	.
<b>Cypress - Pine - Cabbage Palm</b>	.	0.07	.	.
<b>Emergent Aquatic Vegetation</b>	.	.	0.05	.
<b>Freshwater Marshes / Graminoid P</b>	.	0.26	0.16	0.19
<b>Mangrove Swamp</b>	.	4.86	4.41	4.38
<b>Mixed Shrubs</b>	.	.	0.14	0.11
<b>Mixed Wetland Hardwoods</b>	.	.	0.30	0.30
<b>Saltwater Marshes / Halophytic H</b>	.	0.15	0.26	0.26
<b>Wet Melaleuca</b>	0.09	.	0.16	0.11
<b>Wet Pinelands Hydric Pine</b>	.	.	1.01	0.87
<b>Wet Prairies</b>	.	0.08	.	.
<b>Wetland Forested Mixed</b>	0.45	.	0.18	0.18
<b>Wetland Hardwood Forests</b>	4.26	.	.	.

basin\_name=North Golden Gate

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Aquaculture</b>	.	.	.	0.01
<b>Citrus Groves</b>	0.88	0.77	0.62	0.03
<b>Fallow Cropland</b>	.	0.40	1.14	0.06
<b>Field Crops</b>	.	.	0.02	0.02
<b>Fruit Orchards</b>	.	.	.	0.16
<b>Horse Farms</b>	.	0.07	0.05	0.15
<b>Improved Pastures</b>	6.07	8.84	3.34	2.77
<b>Mixed Crops</b>	5.95	.	0.03	0.01
<b>Ornamentals</b>	1.10	0.29	0.73	0.75
<b>Other Groves</b>	.	0.02	0.03	0.03
<b>Row Crops</b>	.	5.70	2.21	1.52
<b>Sod Farms</b>	.	0.05	.	.
<b>Specialty Farms</b>	.	.	0.05	0.04
<b>Tree Nurseries</b>	.	0.17	0.19	0.17
<b>Unimproved Pastures</b>	.	3.79	0.12	0.20
<b>Woodland Pastures</b>	.	.	0.20	0.26

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Borrow Areas</b>	.	0.11	0.01	.
<b>Brazilian Pepper</b>	.	0.60	0.40	0.23
<b>Cabbage Palm</b>	.	.	1.29	0.94
<b>Disturbed Land</b>	.	.	0.55	0.45
<b>Herbaceous (Dry Prairie)</b>	.	0.27	0.99	0.77
<b>Levees</b>	.	.	.	0.04
<b>Melaleuca</b>	.	7.89	0.22	0.13
<b>Mixed Rangeland</b>	1.82	0.77	0.15	0.62
<b>Palmetto Prairies</b>	.	0.27	1.01	1.16
<b>Pine Flatwoods</b>	9.96	4.79	4.65	3.39
<b>Sand Other Than Beaches</b>	.	0.02	.	.

(Continued)

basin\_name=North Golden Gate

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Spoil Areas</b>	.	0.79	0.05	0.04
<b>Upland Hardwood Forests</b>	.	.	0.03	0.03
<b>Upland Mixed Coniferous / Hardwo</b>	.	0.61	0.06	0.14
<b>Upland Shrub and Brushland</b>	.	.	0.64	0.43
<b>Upland forests</b>	13.10	.	.	.
<b>Xeric Oak</b>	.	0.10	.	.

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cemeteries</b>	.	.	.	0.04
<b>Commercial and Services</b>	.	.	0.73	1.06
<b>Commercial and Services Under Co</b>	.	.	0.07	0.10
<b>Communications</b>	.	.	0.01	0.01
<b>Educational Facilities</b>	0.13	0.58	0.53	0.96
<b>Electrical Power Facilities</b>	0.03	.	0.02	0.03
<b>Electrical Power Transmission Li</b>	.	0.24	.	.
<b>Extractive</b>	1.52	.	.	.
<b>Fixed Single Family Units</b>	46.68	36.38	29.05	32.56
<b>Golf Course</b>	0.72	2.67	2.89	3.71
<b>High Density Under Construction</b>	.	.	0.47	0.14
<b>Holding Ponds</b>	.	.	0.63	1.45
<b>Inactive Land with Street Patter</b>	3.29	1.76	8.01	1.25
<b>Industrial</b>	0.71	.	.	.
<b>Institutional</b>	0.03	.	0.30	0.47
<b>Low Density Under Construction</b>	.	.	0.29	0.01
<b>Medium Density Under Constructio</b>	.	0.11	1.12	0.60
<b>Mixed Units, Fixed and Mobile Ho</b>	.	.	0.21	0.17
<b>Mobile Home Units</b>	0.13	.	0.14	0.14
<b>Multiple Dwelling Units, High Ri</b>	.	.	0.12	0.13

(Continued)

basin\_name=North Golden Gate

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Multiple Dwelling Units, Low Ris</b>	.	1.56	1.72	3.64
<b>Open Land</b>	0.14	.	1.75	1.85
<b>Other Light Industry</b>	.	0.85	0.60	0.55
<b>Parks and Zoos</b>	.	0.12	.	0.01
<b>Recreational</b>	0.03	.	0.13	0.14
<b>Retail Sales and Services</b>	0.11	0.25	.	.
<b>Roads and Highways</b>	0.73	1.45	1.18	1.66
<b>Rural Residential</b>	.	.	0.31	9.99
<b>Sand and Gravel Pits</b>	.	0.42	0.33	0.37
<b>Sewage Treatment</b>	.	0.04	0.02	0.02
<b>Shopping Centers</b>	.	0.20	0.27	0.44
<b>Solid Waste Disposal</b>	.	0.03	0.01	0.01
<b>Urban and Builtup</b>	0.32	.	.	.
<b>Water Supply Plants - Including</b>	0.05	0.03	0.05	0.08

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cabbage Palm Wetland</b>	.	.	0.04	0.39
<b>Cypress</b>	3.76	3.16	4.70	4.07
<b>Cypress - Mixed Hardwoods</b>	.	.	1.27	1.12
<b>Cypress - Pine - Cabbage Palm</b>	.	8.13	0.55	0.89
<b>Cypress- Domes/Heads</b>	1.60	.	0.06	0.06
<b>Emergent Aquatic Vegetation</b>	.	.	0.02	0.01
<b>Freshwater Marshes / Graminoid P</b>	0.05	0.15	0.21	0.23
<b>Mixed Shrubs</b>	.	4.42	4.96	2.82
<b>Mixed Wetland Hardwoods</b>	.	.	2.54	2.34
<b>Wet Melaleuca</b>	0.26	.	1.01	0.49
<b>Wet Pinelands Hydric Pine</b>	0.01	.	13.84	10.63

(Continued)

basin\_name=North Golden Gate

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Wet Prairies</b>	.	0.44	0.54	0.40
<b>Wetland Forested Mixed</b>	0.81	0.68	0.50	0.42

basin\_name=Oak Creek

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Aquaculture</b>	.	0.12	.	.
<b>Fallow Cropland</b>	.	2.99	0.25	.
<b>Horse Farms</b>	0.08	.	.	.
<b>Improved Pastures</b>	0.19	6.55	4.37	.
<b>Mixed Crops</b>	13.73	.	.	.
<b>Ornamentals</b>	0.32	.	.	.
<b>Row Crops</b>	.	7.51	5.92	.
<b>Unimproved Pastures</b>	.	2.25	0.50	0.24
<b>Woodland Pastures</b>	.	.	0.95	.

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Herbaceous (Dry Prairie)</b>	.	0.13	2.14	0.43
<b>Melaleuca</b>	.	0.42	0.49	0.37
<b>Mixed Rangeland</b>	0.46	.	0.48	0.29
<b>Palmetto Prairies</b>	.	.	1.04	0.74
<b>Pine Flatwoods</b>	29.23	26.05	2.80	1.03
<b>Sand Pine</b>	.	.	0.62	0.13
<b>Upland Hardwood Forests</b>	.	.	0.30	0.13
<b>Upland Mixed Coniferous / Hardwo</b>	.	1.69	.	0.34
<b>Upland Shrub and Brushland</b>	.	.	0.08	.
<b>Upland forests</b>	5.43	.	.	.

basin\_name=Oak Creek

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Commercial and Services</b>	2.40	.	4.14	6.29
<b>Commercial and Services Under Co</b>	.	0.79	.	.
<b>Communications</b>	.	.	0.12	0.12
<b>Educational Facilities</b>	.	.	0.13	0.62
<b>Electrical Power Transmission Li</b>	.	0.96	.	.
<b>Extractive</b>	0.08	.	.	.
<b>Fixed Single Family Units</b>	16.57	21.33	12.13	19.32
<b>Golf Course</b>	4.33	4.01	5.49	21.87
<b>High Density Under Construction</b>	.	.	1.30	0.16
<b>Inactive Land with Street Patter</b>	.	0.76	.	.
<b>Industrial</b>	1.37	.	.	.
<b>Institutional</b>	0.12	.	0.38	0.56
<b>Low Density Under Construction</b>	.	.	.	0.78
<b>Medium Density Under Constructio</b>	.	0.51	1.48	5.81
<b>Mixed Units, Fixed and Mobile Ho</b>	.	.	0.23	0.24
<b>Mobile Home Units</b>	0.34	.	1.92	0.78
<b>Multiple Dwelling Units, High Ri</b>	.	.	0.56	0.58
<b>Multiple Dwelling Units, Low Ris</b>	.	1.56	1.31	5.48
<b>Open Land</b>	0.64	.	2.52	6.78
<b>Other Light Industry</b>	.	.	1.63	1.50
<b>Parks and Zoos</b>	.	0.19	.	.
<b>Race Tracks</b>	.	1.80	0.88	0.91
<b>Retail Sales and Services</b>	2.67	1.82	.	.
<b>Roads and Highways</b>	0.42	2.20	1.28	2.14
<b>Rural Residential</b>	.	.	0.66	0.58
<b>Sewage Treatment</b>	0.22	.	.	.
<b>Shopping Centers</b>	0.06	0.15	0.35	0.72
<b>Urban and Builtup</b>	0.40	.	.	.
<b>Water Supply Plants - Including</b>	0.07	.	.	.
<b>Wholesale Sales &amp; Services - Jun</b>	.	1.61	.	.

basin\_name=Oak Creek

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	13.38	1.74	1.37	1.46
<b>Cypress - Mixed Hardwoods</b>	.	.	0.43	0.45
<b>Cypress - Pine - Cabbage Palm</b>	.	0.41	.	.
<b>Cypress- Domes/Heads</b>	.	.	2.38	2.54
<b>Freshwater Marshes / Graminoid P</b>	0.65	.	0.60	1.28
<b>Mixed Shrubs</b>	.	0.51	2.66	1.72
<b>Mixed Wetland Hardwoods</b>	.	0.78	0.52	0.52
<b>Wet Melaleuca</b>	2.91	.	3.07	9.51
<b>Wet Pinelands Hydric Pine</b>	.	.	31.98	3.57
<b>Wet Prairies</b>	.	2.15	0.57	.
<b>Wetland Forested Mixed</b>	3.73	9.00	.	.
<b>Wetland Hardwood Forests</b>	0.19	.	.	.



basin\_name=Okaloacoochee Slough

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
Citrus Groves	4.12	10.49	10.83	11.13
Dairies	.	0.05	.	.
Fallow Cropland	.	0.36	0.95	0.55
Field Crops	.	0.04	0.05	0.17
Horse Farms	.	0.03	.	.
Improved Pastures	29.66	16.78	18.19	15.57
Mixed Crops	2.75	.	.	.
Nurseries and Vineyards	.	.	0.02	0.02
Ornamentals	.	0.02	0.01	0.01
Other Groves	.	0.00	.	.
Row Crops	.	6.11	4.29	4.84
Sod Farms	.	0.03	0.03	0.03
Tree Nurseries	.	0.00	.	0.08
Unimproved Pastures	9.30	4.48	3.73	5.78
Woodland Pastures	.	0.23	4.19	4.19

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
Borrow Areas	.	0.02	.	.
Brazilian Pepper	.	0.15	0.11	0.10
Cabbage Palm	0.90	0.04	0.16	0.16
Disturbed Land	.	.	.	0.02
Herbaceous (Dry Prairie)	.	0.12	0.76	0.64
Live Oak	.	0.01	0.04	0.04
Melaleuca	.	0.00	0.03	0.04
Mixed Rangeland	0.28	4.42	0.09	0.15
Oak - Cabbage Palm Forests	0.20	.	0.16	0.16
Palmetto Prairies	.	0.77	2.42	2.41
Pine Flatwoods	1.00	6.78	5.20	5.13
Spoil Areas	.	0.12	0.01	0.01

(Continued)

basin\_name=Okaloacoochee Slough

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Upland Hardwood Forests</b>	.	.	1.13	1.14
<b>Upland Mixed Coniferous / Hardwo</b>	.	4.15	1.88	1.85
<b>Upland Shrub and Brushland</b>	.	.	0.80	0.54
<b>Upland forests</b>	1.41	.	.	.

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Airports</b>	.	0.01	.	.
<b>Commercial and Services</b>	.	.	0.02	0.02
<b>Communications</b>	0.02	.	.	.
<b>Correctional</b>	0.11	0.07	0.13	0.13
<b>Educational Facilities</b>	.	.	0.00	0.00
<b>Electrical Power Transmission Li</b>	.	0.08	.	.
<b>Extractive</b>	0.00	.	.	.
<b>Fixed Single Family Units</b>	0.35	0.17	0.02	0.01
<b>Grass Airports</b>	.	.	0.02	0.02
<b>Industrial</b>	0.03	.	.	.
<b>Mixed Units, Fixed and Mobile Ho</b>	.	0.07	0.00	0.00
<b>Mobile Home Units</b>	0.03	.	0.03	0.01
<b>Oil and Gas Processing</b>	.	0.01	.	.
<b>Oil and Gas Storage - not Indust</b>	0.03	.	.	.
<b>Roads and Highways</b>	.	0.05	.	.
<b>Rural Residential</b>	.	.	0.11	0.29
<b>Water Supply Plants - Including</b>	.	.	.	0.00

basin\_name=Okaloacoochee Slough

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Bay Swamps</b>	.	0.00	.	.
<b>Bayhead</b>	.	.	0.00	0.00
<b>Cabbage Palm Wetland</b>	.	.	0.02	0.03
<b>Cypress</b>	5.51	4.40	4.10	4.07
<b>Cypress - Mixed Hardwoods</b>	.	.	0.39	0.38
<b>Cypress - Pine - Cabbage Palm</b>	.	0.11	0.38	0.38
<b>Cypress- Domes/Heads</b>	2.14	.	1.74	1.66
<b>Emergent Aquatic Vegetation</b>	.	0.08	0.18	0.11
<b>Freshwater Marshes - Sawgrass</b>	.	0.04	1.27	1.26
<b>Freshwater Marshes / Graminoid P</b>	14.12	21.73	25.53	25.62
<b>Mangrove Swamp</b>	.	0.05	.	.
<b>Mixed Shrubs</b>	.	7.14	6.19	5.84
<b>Mixed Wetland Hardwoods</b>	1.47	0.88	2.86	2.86
<b>Saltwater Marshes / Halophytic H</b>	.	0.01	.	.
<b>Wet Melaleuca</b>	.	.	0.01	0.02
<b>Wet Pinelands Hydric Pine</b>	21.95	.	0.27	0.28
<b>Wet Prairies</b>	.	4.47	1.43	2.04
<b>Wetland Forested Mixed</b>	4.62	5.42	0.19	0.21

basin\_name=Rookery Bay Coastal

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Citrus Groves</b>	1.45	.	.	.
<b>Fallow Cropland</b>	.	0.84	1.20	0.19
<b>Field Crops</b>	.	0.22	.	.
<b>Improved Pastures</b>	2.42	0.34	.	.
<b>Mixed Crops</b>	0.95	.	.	.
<b>Ornamentals</b>	.	.	0.03	0.03
<b>Other Groves</b>	.	.	0.07	.
<b>Row Crops</b>	.	1.97	1.44	1.23
<b>Tree Nurseries</b>	.	.	0.11	0.13
<b>Unimproved Pastures</b>	.	0.53	.	.

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Abandoned Groves</b>	.	.	.	0.42
<b>Australian Pine</b>	0.01	0.93	0.27	0.24
<b>Borrow Areas</b>	.	0.70	.	.
<b>Brazilian Pepper</b>	.	0.31	2.51	0.69
<b>Cabbage Palm</b>	.	.	0.02	0.02
<b>Coastal Shrub</b>	.	2.48	0.87	0.86
<b>Disturbed Land</b>	.	.	0.08	0.05
<b>Hardwood Plantations</b>	.	.	.	0.02
<b>Herbaceous (Dry Prairie)</b>	.	.	0.44	0.94
<b>Melaleuca</b>	.	0.20	0.04	0.02
<b>Mixed Rangeland</b>	0.33	.	0.05	0.21
<b>Palmetto Prairies</b>	.	0.03	0.49	0.49
<b>Pine Flatwoods</b>	5.59	2.96	1.75	1.75
<b>Spoil Areas</b>	0.06	0.71	0.33	0.08
<b>Upland Hardwood Forests</b>	.	.	1.17	1.17
<b>Upland Mixed Coniferous / Hardwo</b>	.	.	0.06	0.35

(Continued)

basin\_name=Rookery Bay Coastal

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Upland Shrub and Brushland</b>	.	.	0.57	1.76
<b>Upland forests</b>	3.96	.	.	.

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Airports</b>	0.20	0.19	0.20	0.20
<b>Commercial and Services</b>	.	.	0.27	0.23
<b>Communications</b>	.	.	0.05	0.05
<b>Educational Facilities</b>	.	0.05	0.15	0.15
<b>Electrical Power Facilities</b>	0.02	0.02	.	.
<b>Extractive</b>	0.04	.	.	.
<b>Fixed Single Family Units</b>	2.25	1.88	1.22	1.77
<b>Golf Course</b>	1.02	1.34	1.30	2.01
<b>High Density Under Construction</b>	.	.	0.56	0.25
<b>Inactive Land with Street Patter</b>	0.14	0.43	0.27	0.10
<b>Industrial</b>	0.04	.	.	.
<b>Institutional</b>	0.01	.	0.01	0.06
<b>Marinas and Fish Camps</b>	0.01	0.02	.	.
<b>Medium Density Under Constructio</b>	.	.	.	0.16
<b>Mixed Units, Fixed and Mobile Ho</b>	.	.	0.10	0.10
<b>Mobile Home Units</b>	1.83	.	1.84	2.02
<b>Multiple Dwelling Units, High Ri</b>	.	0.07	0.15	0.07
<b>Multiple Dwelling Units, Low Ris</b>	.	0.28	0.29	0.77
<b>Open Land</b>	0.01	.	0.05	0.32
<b>Other Light Industry</b>	.	.	0.02	.
<b>Parks and Zoos</b>	.	.	0.04	0.07
<b>Retail Sales and Services</b>	0.06	0.04	.	.
<b>Roads and Highways</b>	.	0.19	0.39	0.39
<b>Rural Residential</b>	.	.	0.30	0.28

(Continued)

basin\_name=Rookery Bay Coastal

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Shopping Centers</b>	.	.	0.07	0.07
<b>Swimming Beach</b>	0.34	.	0.20	0.21
<b>Urban and Builtup</b>	0.32	.	.	.
<b>Wholesale Sales &amp; Services - Jun</b>	0.10	.	0.06	0.06

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	.	0.10	0.16	0.16
<b>Cypress - Pine - Cabbage Palm</b>	.	0.65	0.96	1.00
<b>Cypress- Domes/Heads</b>	1.75	.	0.01	0.01
<b>Emergent Aquatic Vegetation</b>	.	.	0.01	.
<b>Freshwater Marshes / Graminoid P</b>	.	0.56	2.03	2.03
<b>Mangrove Swamp</b>	.	68.02	48.77	50.92
<b>Mixed Shrubs</b>	.	7.53	3.04	3.05
<b>Mixed Wetland Hardwoods</b>	.	.	0.64	0.64
<b>Saltwater Marshes / Halophytic H</b>	7.56	5.50	19.71	17.30
<b>Tidal Flats</b>	.	.	1.20	1.18
<b>Wet Melaleuca</b>	.	.	0.44	0.25
<b>Wet Pinelands Hydric Pine</b>	.	.	3.16	2.80
<b>Wet Prairies</b>	.	0.66	0.16	.
<b>Wetland Forested Mixed</b>	0.28	0.24	0.66	0.65
<b>Wetland Hardwood Forests</b>	69.25	.	.	.

**basin\_name=Rookery Bay East**

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Aquaculture</b>	.	0.07	0.07	0.07
<b>Citrus Groves</b>	1.21	0.32	0.00	.
<b>Fallow Cropland</b>	.	0.33	2.76	2.32
<b>Field Crops</b>	.	.	0.09	0.02
<b>Improved Pastures</b>	3.53	3.66	0.29	0.30
<b>Mixed Crops</b>	12.14	.	.	.
<b>Nurseries and Vineyards</b>	.	.	.	0.03
<b>Ornamentals</b>	0.07	0.31	0.29	0.38
<b>Other Groves</b>	.	.	0.27	0.26
<b>Row Crops</b>	.	16.11	12.83	11.24
<b>Specialty Farms</b>	.	.	0.06	0.01
<b>Tree Nurseries</b>	.	.	0.04	0.20
<b>Unimproved Pastures</b>	.	2.81	0.01	.
<b>Woodland Pastures</b>	.	.	0.09	0.10

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Borrow Areas</b>	.	0.21	.	.
<b>Brazilian Pepper</b>	.	0.24	0.26	0.15
<b>Cabbage Palm</b>	.	.	0.18	0.18
<b>Disturbed Land</b>	.	.	0.18	0.41
<b>Herbaceous (Dry Prairie)</b>	.	.	0.59	1.93
<b>Melaleuca</b>	.	0.90	.	.
<b>Mixed Rangeland</b>	0.16	.	0.08	0.24
<b>Palmetto Prairies</b>	.	0.27	0.78	0.79
<b>Pine Flatwoods</b>	9.62	4.67	8.25	7.82
<b>Spoil Areas</b>	.	0.23	0.12	.
<b>Upland Mixed Coniferous / Hardwo</b>	.	.	0.28	0.54
<b>Upland Shrub and Brushland</b>	.	.	0.79	0.74
<b>Upland forests</b>	25.21	.	.	.

basin\_name=Rookery Bay East

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Commercial and Services</b>	.	.	0.11	0.19
<b>Communications</b>	.	.	0.04	0.03
<b>Educational Facilities</b>	.	0.11	0.10	0.09
<b>Extractive</b>	0.56	.	.	.
<b>Fixed Single Family Units</b>	3.89	1.62	0.52	0.73
<b>Golf Course</b>	0.27	0.27	0.36	0.67
<b>Grass Airports</b>	0.02	.	.	.
<b>High Density Under Construction</b>	.	.	0.03	1.13
<b>Holding Ponds</b>	.	.	0.17	0.35
<b>Inactive Land with Street Patter</b>	0.84	0.23	0.31	0.18
<b>Industrial</b>	0.24	.	.	.
<b>Institutional</b>	.	.	0.04	0.03
<b>Low Density Under Construction</b>	.	.	0.35	0.01
<b>Mixed Units, Fixed and Mobile Ho</b>	.	.	0.28	0.17
<b>Mobile Home Units</b>	0.56	.	0.51	0.54
<b>Multiple Dwelling Units, High Ri</b>	.	.	0.06	.
<b>Multiple Dwelling Units, Low Ris</b>	.	.	.	0.37
<b>Open Land</b>	0.07	.	0.05	0.24
<b>Other Light Industry</b>	.	.	0.08	0.03
<b>Parks and Zoos</b>	.	.	0.02	0.02
<b>Race Tracks</b>	0.03	0.21	0.16	0.16
<b>Retail Sales and Services</b>	0.00	0.08	.	.
<b>Roads and Highways</b>	0.51	0.53	0.47	0.47
<b>Rural Residential</b>	.	.	0.84	1.28
<b>Sand and Gravel Pits</b>	.	0.37	0.15	0.31
<b>Sewage Treatment</b>	.	.	0.02	.
<b>Solid Waste Disposal</b>	.	0.38	0.36	0.38
<b>Wholesale Sales &amp; Services - Jun</b>	.	0.04	0.04	0.01



basin\_name=Rookery Bay East

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cabbage Palm Wetland</b>	.	.	0.24	0.24
<b>Cypress</b>	11.33	24.01	16.13	16.17
<b>Cypress - Mixed Hardwoods</b>	.	.	0.64	0.64
<b>Cypress - Pine - Cabbage Palm</b>	.	31.19	8.93	8.75
<b>Cypress- Domes/Heads</b>	8.57	.	0.10	0.10
<b>Emergent Aquatic Vegetation</b>	.	.	0.04	0.07
<b>Freshwater Marshes / Graminoid P</b>	0.86	0.06	0.28	0.31
<b>Mangrove Swamp</b>	.	0.12	0.11	0.11
<b>Mixed Shrubs</b>	.	4.69	7.64	7.46
<b>Mixed Wetland Hardwoods</b>	.	0.04	2.48	2.38
<b>Non-Vegetated Wetland</b>	.	.	0.01	.
<b>Pine Savannah</b>	.	.	0.01	0.01
<b>Saltwater Marshes / Halophytic H</b>	0.36	0.24	0.14	0.14
<b>Wet Melaleuca</b>	.	.	1.05	0.78
<b>Wet Pinelands Hydric Pine</b>	.	.	25.88	23.78
<b>Wet Prairies</b>	.	0.70	1.59	2.58
<b>Wetland Coniferous Forests</b>	.	.	0.38	0.39
<b>Wetland Forested Mixed</b>	19.55	4.98	0.98	0.97
<b>Wetland Hardwood Forests</b>	0.40	.	.	.

basin\_name=Rookery Bay West

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Fallow Cropland</b>	.	1.63	1.19	.
<b>Improved Pastures</b>	4.36	0.11	.	.
<b>Mixed Crops</b>	1.73	.	.	.
<b>Ornamentals</b>	0.30	0.00	0.08	0.08
<b>Other Groves</b>	.	0.48	.	.
<b>Row Crops</b>	.	4.32	1.79	1.43
<b>Specialty Farms</b>	.	.	0.18	0.18

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Brazilian Pepper</b>	.	0.39	0.39	0.45
<b>Cabbage Palm</b>	.	.	0.31	0.31
<b>Disturbed Land</b>	.	.	1.46	0.89
<b>Herbaceous (Dry Prairie)</b>	.	0.13	0.28	1.05
<b>Melaleuca</b>	.	10.80	0.76	0.52
<b>Mixed Rangeland</b>	0.00	.	0.18	0.16
<b>Palmetto Prairies</b>	.	.	0.12	0.12
<b>Pine Flatwoods</b>	19.48	5.77	5.26	4.27
<b>Spoil Areas</b>	.	0.26	0.80	0.04
<b>Upland Mixed Coniferous / Hardwo</b>	.	4.84	0.18	1.10
<b>Upland Shrub and Brushland</b>	.	.	1.19	0.65
<b>Upland forests</b>	41.54	.	.	.
<b>Xeric Oak</b>	.	0.37	.	.

basin\_name=Rookery Bay West

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Airports</b>	0.36	0.50	.	.
<b>Commercial and Services</b>	0.03	.	0.97	1.48
<b>Commercial and Services Under Co</b>	.	.	.	0.06
<b>Communications</b>	.	.	0.02	0.02
<b>Educational Facilities</b>	0.37	1.68	0.95	0.94
<b>Extractive</b>	0.47	.	.	.
<b>Fixed Single Family Units</b>	12.71	27.72	15.42	16.82
<b>Golf Course</b>	7.13	17.17	12.15	13.23
<b>High Density Under Construction</b>	.	.	0.37	0.00
<b>Inactive Land with Street Patter</b>	0.44	0.99	0.00	.
<b>Industrial</b>	0.04	.	.	.
<b>Institutional</b>	0.14	.	0.52	0.76
<b>Low Density Under Construction</b>	.	.	0.45	0.53
<b>Medium Density Under Constructio</b>	.	.	0.29	0.91
<b>Mixed Units, Fixed and Mobile Ho</b>	.	0.37	.	.
<b>Mobile Home Units</b>	2.13	.	1.53	1.54
<b>Multiple Dwelling Units, High Ri</b>	.	2.44	2.09	2.09
<b>Multiple Dwelling Units, Low Ris</b>	.	8.64	5.27	8.89
<b>Oil and Gas Storage - not Indust</b>	0.00	.	.	.
<b>Open Land</b>	0.12	.	0.29	0.46
<b>Parks and Zoos</b>	.	.	0.11	0.53
<b>Private Airports</b>	.	.	0.32	0.29
<b>Recreational</b>	0.15	.	.	.
<b>Retail Sales and Services</b>	0.62	0.23	.	.
<b>Roads and Highways</b>	0.00	3.59	2.33	2.49
<b>Rural Residential</b>	.	.	0.02	1.13
<b>Sewage Treatment</b>	.	0.35	0.22	0.22
<b>Shopping Centers</b>	0.02	0.53	0.69	0.96
<b>Urban and Builtup</b>	1.63	.	.	.
<b>Water Supply Plants - Including</b>	.	.	.	0.02

basin\_name=Rookery Bay West

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	.	1.12	2.35	2.26
<b>Cypress - Mixed Hardwoods</b>	.	.	1.66	1.68
<b>Cypress - Pine - Cabbage Palm</b>	.	4.10	0.20	0.20
<b>Cypress- Domes/Heads</b>	.	.	0.07	0.07
<b>Emergent Aquatic Vegetation</b>	.	.	0.14	0.04
<b>Freshwater Marshes / Graminoid P</b>	0.41	0.11	1.12	1.26
<b>Mangrove Swamp</b>	.	0.08	0.00	0.00
<b>Mixed Shrubs</b>	.	0.41	2.12	1.68
<b>Mixed Wetland Hardwoods</b>	.	.	1.16	1.11
<b>Saltwater Marshes / Halophytic H</b>	0.65	0.06	0.10	0.10
<b>Tidal Flats</b>	.	.	0.00	0.00
<b>Wet Melaleuca</b>	.	.	7.63	5.86
<b>Wet Pinelands Hydric Pine</b>	.	.	20.18	16.64
<b>Wet Prairies</b>	.	0.52	0.18	0.04
<b>Wetland Coniferous Forests</b>	.	.	1.15	1.11
<b>Wetland Forested Mixed</b>	.	0.28	3.81	3.31
<b>Wetland Hardwood Forests</b>	5.16	.	.	.

basin\_name=Silver Strand

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Citrus Groves</b>	16.73	30.12	28.64	31.17
<b>Fallow Cropland</b>	.	1.36	0.86	.
<b>Field Crops</b>	.	.	0.01	.
<b>Improved Pastures</b>	28.93	11.46	15.32	13.82
<b>Mixed Crops</b>	16.49	.	.	.
<b>Ornamentals</b>	.	0.04	0.27	0.26
<b>Other Groves</b>	.	0.28	.	.
<b>Row Crops</b>	.	12.94	10.01	9.39
<b>Sod Farms</b>	.	0.07	.	.
<b>Specialty Farms</b>	.	.	0.02	0.02
<b>Unimproved Pastures</b>	0.44	1.18	4.09	3.95
<b>Woodland Pastures</b>	.	0.75	7.67	7.64

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Borrow Areas</b>	.	1.90	.	.
<b>Brazilian Pepper</b>	.	0.30	0.89	0.56
<b>Cabbage Palm</b>	.	0.14	0.19	0.19
<b>Disturbed Land</b>	.	.	0.21	0.01
<b>Herbaceous (Dry Prairie)</b>	.	0.59	0.93	0.94
<b>Levees</b>	.	.	.	0.65
<b>Live Oak</b>	.	0.02	.	.
<b>Melaleuca</b>	.	0.12	0.11	0.07
<b>Mixed Rangeland</b>	1.20	0.66	0.08	0.10
<b>Oak - Cabbage Palm Forests</b>	.	.	0.23	0.23
<b>Palmetto Prairies</b>	.	1.69	0.92	0.46
<b>Pine Flatwoods</b>	4.70	6.69	2.42	2.41
<b>Spoil Areas</b>	0.14	0.02	0.69	0.09
<b>Upland Hardwood Forests</b>	.	.	0.03	0.03
<b>Upland Mixed Coniferous / Hardwo</b>	.	1.61	0.74	0.69

(Continued)

basin\_name=Silver Strand

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Upland Shrub and Brushland</b>	.	.	0.48	0.84
<b>Upland forests</b>	3.75	.	.	.

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Airports</b>	0.57	0.67	0.72	0.74
<b>Commercial and Services</b>	.	.	0.01	0.04
<b>Communications</b>	.	.	0.03	0.03
<b>Correctional</b>	0.02	.	.	.
<b>Educational Facilities</b>	.	0.05	0.07	0.07
<b>Electrical Power Transmission Li</b>	.	0.06	.	.
<b>Extractive</b>	1.83	.	.	.
<b>Fixed Single Family Units</b>	0.37	0.80	0.17	0.16
<b>Inactive Land with Street Patter</b>	.	0.04	.	.
<b>Industrial</b>	0.07	.	.	.
<b>Institutional</b>	.	.	0.05	0.05
<b>Mixed Units, Fixed and Mobile Ho</b>	.	.	0.06	0.06
<b>Mobile Home Units</b>	0.05	.	0.06	0.06
<b>Multiple Dwelling Units, Low Ris</b>	.	.	0.28	0.31
<b>Oil and Gas Fields</b>	.	.	0.04	0.04
<b>Open Land</b>	0.24	.	.	.
<b>Other Light Industry</b>	.	0.16	0.20	0.32
<b>Parks and Zoos</b>	.	.	0.06	0.06
<b>Recreational</b>	0.03	.	.	.
<b>Retail Sales and Services</b>	0.01	.	.	.
<b>Roads and Highways</b>	.	0.52	.	.
<b>Rural Residential</b>	.	.	0.07	0.16
<b>Shopping Centers</b>	.	0.02	.	.
<b>Solid Waste Disposal</b>	.	.	0.19	0.19

(Continued)

basin\_name=Silver Strand

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Urban and Builtup</b>	0.07	.	.	.
<b>Wholesale Sales &amp; Services - Jun</b>	.	.	.	0.01

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	10.91	6.98	4.79	4.75
<b>Cypress - Mixed Hardwoods</b>	.	.	2.00	2.01
<b>Cypress - Pine - Cabbage Palm</b>	.	3.11	0.43	0.43
<b>Cypress- Domes/Heads</b>	0.23	.	3.18	3.19
<b>Emergent Aquatic Vegetation</b>	.	0.10	0.25	0.33
<b>Freshwater Marshes / Graminoid P</b>	1.37	4.26	6.32	5.91
<b>Mixed Shrubs</b>	.	1.20	2.13	2.35
<b>Mixed Wetland Hardwoods</b>	.	0.26	2.23	2.25
<b>Saltwater Marshes / Halophytic H</b>	.	0.00	.	.
<b>Wet Melaleuca</b>	0.01	.	0.06	0.07
<b>Wet Pinelands Hydric Pine</b>	7.65	.	0.53	0.53
<b>Wet Prairies</b>	.	3.69	0.57	1.68
<b>Wetland Coniferous Forests</b>	.	.	0.11	0.11
<b>Wetland Forested Mixed</b>	4.20	6.15	0.60	0.61

basin\_name=Tamiami Canal

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cattle Feeding Operations</b>	.	0.00	0.01	0.01
<b>Citrus Groves</b>	0.35	1.27	0.94	0.50
<b>Dairies</b>	0.00	.	.	.
<b>Fallow Cropland</b>	.	0.07	.	0.00
<b>Field Crops</b>	.	0.02	.	.
<b>Horse Farms</b>	.	0.01	.	.
<b>Improved Pastures</b>	2.29	1.25	1.59	1.71
<b>Mixed Crops</b>	0.19	.	.	.
<b>Ornamentals</b>	.	0.00	.	.
<b>Row Crops</b>	.	0.48	0.21	0.42
<b>Sod Farms</b>	.	0.02	.	.
<b>Unimproved Pastures</b>	0.12	1.20	0.22	0.29
<b>Woodland Pastures</b>	.	0.01	0.49	0.50

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Borrow Areas</b>	.	0.04	.	.
<b>Brazilian Pepper</b>	.	0.01	0.01	0.01
<b>Cabbage Palm</b>	0.04	0.01	0.08	0.08
<b>Coastal Shrub</b>	.	0.00	.	.
<b>Disturbed Land</b>	.	.	0.00	0.00
<b>Herbaceous (Dry Prairie)</b>	.	.	0.01	0.03
<b>Levees</b>	.	.	.	0.03
<b>Live Oak</b>	.	0.01	0.01	0.01
<b>Melaleuca</b>	.	0.14	.	.
<b>Mixed Rangeland</b>	0.64	0.99	0.01	0.05
<b>Oak - Cabbage Palm Forests</b>	.	.	0.33	0.33
<b>Palmetto Prairies</b>	.	0.22	0.81	0.85
<b>Pine - Mesic Oak</b>	.	0.00	.	.
<b>Pine Flatwoods</b>	0.07	9.73	4.06	4.07

(Continued)



basin\_name=Tamiami Canal

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Spoil Areas</b>	.	0.10	0.05	0.01
<b>Upland Coniferous Forests</b>	.	.	0.00	0.00
<b>Upland Hardwood Forests</b>	.	.	0.43	0.45
<b>Upland Mixed Coniferous / Hardwo</b>	.	0.28	0.65	0.65
<b>Upland Shrub and Brushland</b>	.	.	0.49	0.41
<b>Upland forests</b>	2.61	.	.	.
<b>Xeric Oak</b>	.	0.00	.	.

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Airports</b>	0.17	0.23	0.07	0.07
<b>Commercial and Services</b>	0.00	.	0.02	0.02
<b>Communications</b>	0.00	.	.	.
<b>Electrical Power Transmission Li</b>	.	0.01	.	.
<b>Extractive</b>	0.00	.	.	.
<b>Fixed Single Family Units</b>	0.09	0.03	0.01	0.01
<b>Grass Airports</b>	0.01	.	0.00	0.00
<b>Inactive Land with Street Patter</b>	0.08	0.01	0.00	0.00
<b>Institutional</b>	0.01	.	.	.
<b>Medium Density Under Constructio</b>	.	0.01	.	.
<b>Mixed Units, Fixed and Mobile Ho</b>	.	0.00	0.00	0.00
<b>Mobile Home Units</b>	0.00	.	0.00	0.00
<b>Oil and Gas Processing</b>	.	0.01	.	.
<b>Oil and Gas Storage - not Indust</b>	0.02	.	0.00	0.00
<b>Open Land</b>	0.01	.	.	.
<b>Other Light Industry</b>	.	.	0.00	0.00
<b>Parks and Zoos</b>	.	0.00	.	0.00
<b>Recreational</b>	0.00	.	.	0.00
<b>Retail Sales and Services</b>	0.01	.	.	.

(Continued)

basin\_name=Tamiami Canal

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Roads and Highways</b>	0.10	0.10	0.08	0.08
<b>Rural Residential</b>	.	.	0.01	0.01
<b>Urban and Builtup</b>	0.00	.	.	.
<b>Wholesale Sales &amp; Services - Jun</b>	0.00	.	.	.

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Bayhead</b>	.	.	0.02	0.02
<b>Cabbage Palm Wetland</b>	.	.	0.00	0.00
<b>Cypress</b>	9.12	29.75	17.22	17.21
<b>Cypress - Mixed Hardwoods</b>	.	.	2.20	2.20
<b>Cypress - Pine - Cabbage Palm</b>	.	8.02	1.98	1.99
<b>Cypress- Domes/Heads</b>	52.28	.	7.66	7.67
<b>Emergent Aquatic Vegetation</b>	0.28	0.01	0.09	0.09
<b>Freshwater Marshes - Sawgrass</b>	0.19	0.11	16.95	16.96
<b>Freshwater Marshes / Graminoid P</b>	20.72	16.44	3.50	3.54
<b>Mangrove Swamp</b>	.	0.00	0.01	0.02
<b>Mixed Shrubs</b>	.	6.47	22.28	22.29
<b>Mixed Wetland Hardwoods</b>	0.58	0.27	1.95	1.94
<b>Pine Savannah</b>	.	.	0.04	0.04
<b>Saltwater Marshes / Halophytic H</b>	0.05	0.08	0.01	0.01
<b>Wet Melaleuca</b>	0.01	.	0.00	0.00
<b>Wet Pinelands Hydric Pine</b>	6.36	.	6.90	6.89
<b>Wet Prairies</b>	.	14.89	8.20	8.12
<b>Wetland Coniferous Forests</b>	.	.	0.27	0.27
<b>Wetland Forested Mixed</b>	3.16	7.72	0.11	0.11
<b>Wetland Hardwood Forests</b>	0.01	.	0.00	0.00
<b>Wetlands</b>	0.45	.	.	.

basin\_name=Ten Thousand Islands

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Borrow Areas</b>	.	0.10	.	.
<b>Brazilian Pepper</b>	0.01	.	.	.
<b>Cabbage Palm</b>	.	.	0.14	0.14
<b>Coastal Shrub</b>	.	.	0.02	0.02
<b>Disturbed Land</b>	.	.	0.00	0.01
<b>Herbaceous (Dry Prairie)</b>	.	0.00	0.03	0.02
<b>Mixed Rangeland</b>	0.03	.	0.02	0.03
<b>Spoil Areas</b>	.	0.12	0.03	0.03
<b>Upland Hardwood Forests</b>	.	.	0.17	0.18
<b>Upland Mixed Coniferous / Hardwo</b>	.	.	0.11	0.11
<b>Upland Shrub and Brushland</b>	.	.	0.11	0.10
<b>Upland forests</b>	0.08	.	.	.

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Airports</b>	0.06	0.04	0.02	0.03
<b>Commercial and Services</b>	0.02	.	0.14	0.14
<b>Communications</b>	.	.	0.01	0.01
<b>Educational Facilities</b>	0.01	.	0.01	0.01
<b>Electrical Power Facilities</b>	0.00	.	.	.
<b>Fixed Single Family Units</b>	0.20	0.06	0.19	0.20
<b>High Density Under Construction</b>	.	.	0.02	0.02
<b>Inactive Land with Street Patter</b>	0.11	0.04	0.02	0.02
<b>Institutional</b>	0.02	.	0.02	0.02
<b>Marinas and Fish Camps</b>	0.02	0.01	.	.
<b>Medium Density Under Constructio</b>	.	0.01	.	.
<b>Mixed Units, Fixed and Mobile Ho</b>	.	0.22	0.03	0.03
<b>Mobile Home Units</b>	0.11	.	0.14	0.15
<b>Multiple Dwelling Units, Low Ris</b>	.	.	0.03	0.07
<b>Open Land</b>	0.27	.	0.02	0.03

(Continued)

basin\_name=Ten Thousand Islands

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Other Light Industry</b>	.	.	0.00	0.00
<b>Parks and Zoos</b>	0.02	.	0.03	0.03
<b>Private Airports</b>	.	.	0.01	.
<b>Recreational</b>	0.03	.	.	.
<b>Retail Sales and Services</b>	0.05	.	.	.
<b>Roads and Highways</b>	0.07	0.06	.	.
<b>Sewage Treatment</b>	0.00	.	.	.
<b>Swimming Beach</b>	0.18	.	.	.
<b>Urban and Builtup</b>	0.00	.	.	.
<b>Water Supply Plants - Including</b>	0.00	.	.	.
<b>Wholesale Sales &amp; Services</b>	.	0.05	.	.

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	0.41	0.00	0.92	0.93
<b>Cypress - Mixed Hardwoods</b>	.	.	0.71	0.72
<b>Cypress - Pine - Cabbage Palm</b>	.	2.00	0.68	0.69
<b>Cypress- Domes/Heads</b>	11.88	.	0.01	0.01
<b>Emergent Aquatic Vegetation</b>	3.40	.	0.01	0.01
<b>Freshwater Marshes - Sawgrass</b>	.	.	9.71	9.87
<b>Freshwater Marshes / Graminoid P</b>	1.45	10.37	2.29	2.23
<b>Mangrove Swamp</b>	.	62.49	68.82	67.60
<b>Mixed Shrubs</b>	.	11.04	1.48	1.65
<b>Mixed Wetland Hardwoods</b>	.	.	0.16	0.16
<b>Saltwater Marshes / Halophytic H</b>	9.86	10.96	11.23	11.85
<b>Tidal Flats</b>	.	0.26	2.54	2.79
<b>Wet Pinelands Hydric Pine</b>	.	.	0.01	0.01
<b>Wet Prairies</b>	.	1.32	0.08	0.09

(Continued)

basin\_name=Ten Thousand Islands

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Wetland Forested Mixed</b>	0.51	0.86	0.02	0.02
<b>Wetland Hardwood Forests</b>	71.22	.	.	.

basin\_name=Townshend River

**Agriculture**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Citrus Groves</b>	37.64	58.42	59.67	59.24
<b>Fallow Cropland</b>	.	0.88	1.61	0.54
<b>Field Crops</b>	.	.	0.29	1.98
<b>Horse Farms</b>	.	.	.	0.12
<b>Improved Pastures</b>	33.79	17.74	9.50	17.13
<b>Mixed Crops</b>	8.35	.	.	.
<b>Other Groves</b>	.	0.03	0.01	0.01
<b>Row Crops</b>	.	6.12	1.74	2.09
<b>Sod Farms</b>	0.22	.	.	.
<b>Tree Nurseries</b>	.	.	.	0.03
<b>Unimproved Pastures</b>	9.99	2.16	11.23	3.42
<b>Woodland Pastures</b>	.	0.26	2.30	2.03

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Borrow Areas</b>	.	0.01	.	.
<b>Brazilian Pepper</b>	.	0.09	0.41	0.22
<b>Cabbage Palm</b>	0.00	.	.	.
<b>Herbaceous (Dry Prairie)</b>	.	.	0.24	0.34
<b>Levees</b>	1.03	.	.	0.57
<b>Live Oak</b>	.	0.01	0.07	0.07
<b>Melaleuca</b>	.	0.03	0.03	0.03
<b>Mixed Rangeland</b>	0.57	0.46	.	.
<b>Oak - Cabbage Palm Forests</b>	.	.	0.06	0.06
<b>Palmetto Prairies</b>	.	0.42	0.02	0.03
<b>Pine Flatwoods</b>	3.35	2.12	0.70	0.32
<b>Sand Pine</b>	.	0.03	.	.
<b>Spoil Areas</b>	.	0.39	0.49	.
<b>Upland Hardwood Forests</b>	.	.	0.19	0.12
<b>Upland Mixed Coniferous / Hardwo</b>	.	0.14	0.02	0.02

(Continued)

basin\_name=Townshend River

**Uplands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Upland Mixed Forests</b>	0.21	.	.	.
<b>Upland Shrub and Brushland</b>	.	.	0.45	0.41
<b>Xeric Oak</b>	.	0.02	.	.

**Urban and Built-up**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Airports</b>	.	0.05	.	.
<b>Cemeteries</b>	.	0.00	.	.
<b>Commercial and Services</b>	.	.	0.16	0.20
<b>Communications</b>	.	.	0.01	0.01
<b>Electrical Power Facilities</b>	0.02	.	.	.
<b>Electrical Power Transmission Li</b>	.	0.02	.	.
<b>Fixed Single Family Units</b>	0.72	0.40	0.03	0.04
<b>Grass Airports</b>	.	.	0.05	0.05
<b>Inactive Land with Street Patter</b>	0.07	.	0.07	0.00
<b>Industrial</b>	0.26	.	.	.
<b>Institutional</b>	.	.	0.01	0.01
<b>Mixed Units, Fixed and Mobile Ho</b>	.	0.32	0.36	0.37
<b>Mobile Home Units</b>	0.02	.	0.02	0.01
<b>Oil and Gas Storage - not Indust</b>	0.01	.	.	.
<b>Retail Sales and Services</b>	.	0.10	.	.
<b>Roads and Highways</b>	.	.	.	0.01
<b>Rural Residential</b>	.	.	0.39	0.62

basin\_name=Townshend River

**Wetlands**

	Percent composition			
	1988	1995	1999	2005
<b>Land Use</b>				
<b>Cypress</b>	0.43	0.49	0.09	0.10
<b>Cypress - Mixed Hardwoods</b>	.	.	0.03	0.03
<b>Cypress - Pine - Cabbage Palm</b>	.	0.49	.	.
<b>Cypress- Domes/Heads</b>	.	.	0.28	0.28
<b>Emergent Aquatic Vegetation</b>	.	.	0.05	0.04
<b>Freshwater Marshes / Graminoid P</b>	2.40	4.79	4.34	4.37
<b>Mixed Shrubs</b>	.	2.72	1.97	1.81
<b>Mixed Wetland Hardwoods</b>	.	0.13	0.02	0.02
<b>Wet Pinelands Hydric Pine</b>	0.77	.	0.61	0.58
<b>Wet Prairies</b>	.	1.07	2.45	2.66
<b>Wetland Forested Mixed</b>	0.15	0.10	0.02	0.02



Basin\_name=Barron R

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Brazilian Pepper</b>	0.06
<b>Channelized Waterways, Canals</b>	0.14
<b>Correctional</b>	0.12
<b>Cypress</b>	15.59
<b>Cypress - Mixed Hardwoods</b>	2.53
<b>Cypress- Domes/Heads</b>	0.06
<b>Emergent Aquatic Vegetation</b>	0.07
<b>Fixed Single Family Units</b>	0.23
<b>Freshwater Marshes - Sawgrass</b>	37.94
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	5.66
<b>Herbaceous (Dry Prairie)</b>	0.23
<b>Horse Farms</b>	0.04
<b>Lakes</b>	0.01
<b>Mixed Rangeland</b>	1.86
<b>Mixed Shrubs</b>	11.40
<b>Mixed Wetland Hardwoods</b>	9.21
<b>Reservoirs</b>	0.18
<b>Roads and Highways</b>	0.71
<b>Rural Residential</b>	0.04
<b>Spoil Areas</b>	0.13
<b>Upland Shrub and Brushland</b>	0.36
<b>Wet Melaleuca</b>	0.02
<b>Wet Pinelands Hydric Pine</b>	6.82
<b>Wet Prairies</b>	6.07
<b>Wetland Forested Mixed</b>	0.52

Basin\_name=Camp Keais

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Brazilian Pepper</b>	1.35
<b>Cabbage Palm</b>	0.32
<b>Channelized Waterways, Canals</b>	0.08
<b>Citrus Groves</b>	3.38
<b>Commercial and Services</b>	0.01
<b>Cypress</b>	25.88
<b>Cypress - Mixed Hardwoods</b>	0.10
<b>Cypress - Pine - Cabbage Palm</b>	0.13
<b>Cypress- Domes/Heads</b>	1.08
<b>Emergent Aquatic Vegetation</b>	0.06
<b>Fixed Single Family Units</b>	0.10
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	13.03
<b>Grass Airports</b>	0.02
<b>Herbaceous (Dry Prairie)</b>	2.09
<b>Improved Pastures</b>	5.69
<b>Mixed Rangeland</b>	0.15
<b>Mixed Shrubs</b>	3.10
<b>Mixed Wetland Hardwoods</b>	1.09
<b>Palmetto Prairies</b>	0.00
<b>Pine Flatwoods</b>	6.43
<b>Race Tracks</b>	0.39
<b>Reservoirs</b>	0.03
<b>Roads and Highways</b>	0.31
<b>Row Crops</b>	30.66
<b>Rural Residential</b>	0.01
<b>Unimproved Pastures</b>	0.67
<b>Upland Hardwood Forests</b>	0.07
<b>Upland Mixed Coniferous / Hardwood</b>	0.09
<b>Upland Shrub and Brushland</b>	0.39
<b>Wet Melaleuca</b>	0.02
<b>Wet Pinelands Hydric Pine</b>	2.83
<b>Wet Prairies</b>	0.29
<b>Wetland Coniferous Forests</b>	0.03

(Continued)

Basin\_name=Camp Keais

	Percent composition
Land Use	
Wetland Forested Mixed	0.11
Woodland Pastures	0.00

Basin\_name=Cocohatchee Inland

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Channelized Waterways, Canals</b>	0.42
<b>Citrus Groves</b>	0.05
<b>Commercial and Services</b>	1.37
<b>Commercial and Services Under Construction.</b>	0.19
<b>Cypress</b>	7.54
<b>Cypress - Mixed Hardwoods</b>	1.45
<b>Cypress - Pine - Cabbage Palm</b>	0.08
<b>Cypress- Domes/Heads</b>	0.09
<b>Disturbed Land</b>	0.22
<b>Educational Facilities</b>	0.19
<b>Electrical Power Facilities</b>	0.01
<b>Fixed Single Family Units</b>	22.49
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	1.93
<b>Golf Course</b>	13.02
<b>Herbaceous (Dry Prairie)</b>	1.50
<b>High Density Under Construction</b>	0.08
<b>Holding Ponds</b>	1.16
<b>Improved Pastures</b>	0.10
<b>Institutional</b>	0.22
<b>Lakes</b>	0.00
<b>Mangrove Swamp</b>	0.19
<b>Medium Density Under Construction</b>	0.31
<b>Melaleuca</b>	0.28
<b>Mixed Shrubs</b>	0.72
<b>Mixed Wetland Hardwoods</b>	7.27
<b>Multiple Dwelling Units, High Rise</b>	0.87
<b>Multiple Dwelling Units, Low Rise</b>	4.86
<b>Natural River, Stream, Waterway</b>	0.00
<b>Open Land</b>	1.23
<b>Ornamentals</b>	0.19
<b>Palmetto Prairies</b>	0.02
<b>Parks and Zoos</b>	0.29
<b>Pine Flatwoods</b>	2.05
<b>Reservoirs</b>	3.52

(Continued)

**Basin\_name=Cocohatchee Inland**

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Roads and Highways</b>	2.93
<b>Saltwater Marshes / Halophytic Herbaceous P</b>	0.02
<b>Sand and Gravel Pits</b>	3.59
<b>Sewage Treatment</b>	0.51
<b>Shopping Centers</b>	0.39
<b>Tree Nurseries</b>	0.49
<b>Upland Coniferous Forests</b>	0.11
<b>Upland Shrub and Brushland</b>	0.10
<b>Water Supply Plants - Including Pumping Sta</b>	0.05
<b>Wet Melaleuca</b>	0.11
<b>Wet Pinelands Hydric Pine</b>	17.22
<b>Wet Prairies</b>	0.39
<b>Wetland Forested Mixed</b>	0.16

Basin\_name=Cocohatchee R

	Percent composition
<b>Land Use</b>	
<b>Channelized Waterways, Canals</b>	1.78
<b>Commercial and Services</b>	2.77
<b>Fixed Single Family Units</b>	5.14
<b>Golf Course</b>	1.28
<b>Mangrove Swamp</b>	31.31
<b>Mixed Shrubs</b>	0.08
<b>Mixed Wetland Hardwoods</b>	0.68
<b>Natural River, Stream, Waterway</b>	53.45
<b>Pine Flatwoods</b>	0.01
<b>Roads and Highways</b>	2.36
<b>Saltwater Marshes / Halophytic Herbaceous P</b>	0.72
<b>Wet Pinelands Hydric Pine</b>	0.39

Basin\_name=Corkscrew

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Brazilian Pepper</b>	0.05
<b>Cabbage Palm</b>	0.00
<b>Channelized Waterways, Canals</b>	0.00
<b>Citrus Groves</b>	10.53
<b>Cypress</b>	9.29
<b>Cypress- Domes/Heads</b>	0.19
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	50.07
<b>Herbaceous (Dry Prairie)</b>	0.28
<b>Improved Pastures</b>	2.81
<b>Mixed Shrubs</b>	16.15
<b>Mixed Wetland Hardwoods</b>	3.59
<b>Mobile Home Units</b>	0.09
<b>Palmetto Prairies</b>	0.06
<b>Pine Flatwoods</b>	0.51
<b>Reservoirs</b>	0.02
<b>Row Crops</b>	1.68
<b>Unimproved Pastures</b>	0.34
<b>Upland Mixed Coniferous / Hardwood</b>	0.31
<b>Upland Shrub and Brushland</b>	2.67
<b>Wet Pinelands Hydric Pine</b>	1.16
<b>Wet Prairies</b>	0.14
<b>Woodland Pastures</b>	0.05

Basin\_name=Cow Slough

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Cabbage Palm</b>	1.11
<b>Cypress</b>	10.50
<b>Cypress- Domes/Heads</b>	0.05
<b>Disturbed Land</b>	4.28
<b>Educational Facilities</b>	0.89
<b>Fixed Single Family Units</b>	1.51
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	27.64
<b>Herbaceous (Dry Prairie)</b>	0.67
<b>High Density Under Construction</b>	1.02
<b>Improved Pastures</b>	32.92
<b>Lakes</b>	3.18
<b>Mixed Shrubs</b>	0.87
<b>Mixed Wetland Hardwoods</b>	4.70
<b>Reservoirs</b>	0.61
<b>Unimproved Pastures</b>	3.30
<b>Wet Prairies</b>	2.38
<b>Woodland Pastures</b>	4.38



Basin\_name=Faka N

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Brazilian Pepper</b>	0.13
<b>Cabbage Palm</b>	1.67
<b>Channelized Waterways, Canals</b>	1.16
<b>Citrus Groves</b>	0.06
<b>Cypress</b>	0.75
<b>Cypress - Mixed Hardwoods</b>	1.30
<b>Cypress - Pine - Cabbage Palm</b>	8.39
<b>Cypress- Domes/Heads</b>	0.02
<b>Disturbed Land</b>	1.85
<b>Educational Facilities</b>	0.19
<b>Fallow Cropland</b>	0.61
<b>Fixed Single Family Units</b>	5.82
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	0.14
<b>Herbaceous (Dry Prairie)</b>	5.78
<b>Improved Pastures</b>	0.96
<b>Inactive Land with Street Pattern</b>	5.12
<b>Mixed Rangeland</b>	6.04
<b>Mixed Shrubs</b>	6.58
<b>Mixed Wetland Hardwoods</b>	8.71
<b>Mobile Home Units</b>	0.07
<b>Open Land</b>	0.13
<b>Other Groves</b>	0.04
<b>Palmetto Prairies</b>	2.44
<b>Parks and Zoos</b>	0.03
<b>Pine Flatwoods</b>	3.33
<b>Race Tracks</b>	0.02
<b>Reservoirs</b>	0.98
<b>Roads and Highways</b>	0.50
<b>Row Crops</b>	0.03
<b>Rural Residential</b>	25.46
<b>Unimproved Pastures</b>	0.20
<b>Upland Mixed Coniferous / Hardwood</b>	0.09
<b>Upland Shrub and Brushland</b>	2.86
<b>Wet Melaleuca</b>	0.03

(Continued)

Basin\_name=Faka N

	Percent composition
Land Use	
Wet Pinelands Hydric Pine	6.75
Wet Prairies	1.79

Basin\_name=Faka S

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Brazilian Pepper</b>	0.02
<b>Cabbage Palm</b>	0.14
<b>Channelized Waterways, Canals</b>	1.19
<b>Commercial and Services</b>	0.18
<b>Cypress</b>	3.29
<b>Cypress - Mixed Hardwoods</b>	16.69
<b>Cypress - Pine - Cabbage Palm</b>	0.86
<b>Fixed Single Family Units</b>	0.03
<b>Freshwater Marshes - Sawgrass</b>	2.04
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	1.03
<b>Herbaceous (Dry Prairie)</b>	0.35
<b>Holding Ponds</b>	0.01
<b>Mangrove Swamp</b>	1.34
<b>Melaleuca</b>	0.04
<b>Mixed Shrubs</b>	44.11
<b>Mixed Wetland Hardwoods</b>	9.46
<b>Multiple Dwelling Units, Low Rise</b>	0.01
<b>Open Land</b>	0.02
<b>Palmetto Prairies</b>	0.06
<b>Pine Flatwoods</b>	0.66
<b>Reservoirs</b>	0.01
<b>Roads and Highways</b>	0.18
<b>Saltwater Marshes / Halophytic Herbaceous P</b>	2.63
<b>Saltwater Ponds</b>	0.04
<b>Sand and Gravel Pits</b>	0.06
<b>Upland Shrub and Brushland</b>	0.89
<b>Wet Melaleuca</b>	0.02
<b>Wet Pinelands Hydric Pine</b>	12.17
<b>Wet Prairies</b>	2.08
<b>Wetland Forested Mixed</b>	0.37
<b>Woodland Pastures</b>	0.02

Basin\_name=Fakahatchee

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Cabbage Palm</b>	0.00
<b>Channelized Waterways, Canals</b>	0.08
<b>Cypress</b>	45.08
<b>Cypress - Mixed Hardwoods</b>	25.77
<b>Cypress- Domes/Heads</b>	0.06
<b>Emergent Aquatic Vegetation</b>	0.01
<b>Freshwater Marshes - Sawgrass</b>	8.05
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	0.63
<b>Herbaceous (Dry Prairie)</b>	0.04
<b>Lakes</b>	0.01
<b>Mangrove Swamp</b>	1.46
<b>Mixed Shrubs</b>	2.95
<b>Mixed Wetland Hardwoods</b>	1.88
<b>Natural River, Stream, Waterway</b>	0.01
<b>Palmetto Prairies</b>	0.01
<b>Pine Flatwoods</b>	0.02
<b>Reservoirs</b>	0.17
<b>Roads and Highways</b>	0.34
<b>Saltwater Marshes / Halophytic Herbaceous P</b>	6.80
<b>Saltwater Ponds</b>	0.08
<b>Spoil Areas</b>	0.04
<b>Upland Shrub and Brushland</b>	0.03
<b>Wet Pinelands Hydric Pine</b>	2.33
<b>Wet Prairies</b>	4.15

Basin\_name=Gordon R

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Australian Pine</b>	0.60
<b>Brazilian Pepper</b>	0.35
<b>Channelized Waterways, Canals</b>	0.06
<b>Commercial and Services</b>	4.44
<b>Cypress</b>	0.41
<b>Cypress - Mixed Hardwoods</b>	0.40
<b>Educational Facilities</b>	1.36
<b>Fixed Single Family Units</b>	25.64
<b>Golf Course</b>	24.42
<b>Herbaceous (Dry Prairie)</b>	0.41
<b>Inactive Land with Street Pattern</b>	0.24
<b>Institutional</b>	0.33
<b>Low Density Under Construction</b>	0.82
<b>Mangrove Swamp</b>	1.88
<b>Medium Density Under Construction</b>	0.85
<b>Melaleuca</b>	0.15
<b>Mixed Wetland Hardwoods</b>	4.46
<b>Mobile Home Units</b>	0.63
<b>Multiple Dwelling Units, High Rise</b>	1.90
<b>Multiple Dwelling Units, Low Rise</b>	4.03
<b>Open Land</b>	0.52
<b>Other Heavy Industrial</b>	0.35
<b>Other Light Industry</b>	9.55
<b>Pine Flatwoods</b>	3.54
<b>Reservoirs</b>	3.78
<b>Roads and Highways</b>	3.83
<b>Rural Residential</b>	1.92
<b>Shopping Centers</b>	0.07
<b>Upland Mixed Coniferous / Hardwood</b>	1.11
<b>Upland Shrub and Brushland</b>	1.51
<b>Wet Pinelands Hydric Pine</b>	0.47

Basin\_name=Immokalee

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Airports</b>	5.33
<b>Brazilian Pepper</b>	0.37
<b>Citrus Groves</b>	16.42
<b>Commercial and Services</b>	0.94
<b>Cypress</b>	7.01
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	1.46
<b>Herbaceous (Dry Prairie)</b>	1.10
<b>Improved Pastures</b>	4.61
<b>Institutional</b>	1.47
<b>Mixed Shrubs</b>	0.07
<b>Mixed Wetland Hardwoods</b>	18.88
<b>Other Light Industry</b>	16.87
<b>Unimproved Pastures</b>	17.36
<b>Wet Prairies</b>	2.54
<b>Wholesale Sales &amp; Services - Junk Yards</b>	0.43
<b>Woodland Pastures</b>	5.13

Basin\_name=L-28

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Channelized Waterways, Canals</b>	0.62
<b>Cypress</b>	11.38
<b>Cypress - Mixed Hardwoods</b>	0.24
<b>Cypress - Pine - Cabbage Palm</b>	1.30
<b>Cypress- Domes/Heads</b>	2.69
<b>Emergent Aquatic Vegetation</b>	0.02
<b>Freshwater Marshes - Sawgrass</b>	2.15
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	0.09
<b>Grass Airports</b>	0.03
<b>Improved Pastures</b>	0.04
<b>Levees</b>	0.64
<b>Mixed Shrubs</b>	76.04
<b>Mixed Wetland Hardwoods</b>	0.02
<b>Oak - Cabbage Palm Forests</b>	0.04
<b>Palmetto Prairies</b>	0.19
<b>Pine Flatwoods</b>	0.36
<b>Roads and Highways</b>	0.90
<b>Unimproved Pastures</b>	0.24
<b>Upland Hardwood Forests</b>	0.87
<b>Upland Mixed Coniferous / Hardwood</b>	0.66
<b>Upland Shrub and Brushland</b>	0.14
<b>Wet Pinelands Hydric Pine</b>	0.65
<b>Wet Prairies</b>	0.69

Basin\_name=N Golden Gate

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Brazilian Pepper</b>	0.23
<b>Cabbage Palm</b>	0.77
<b>Cabbage Palm Wetland</b>	0.39
<b>Cemeteries</b>	0.04
<b>Channelized Waterways, Canals</b>	1.16
<b>Citrus Groves</b>	0.01
<b>Commercial and Services</b>	1.00
<b>Commercial and Services Under Construction.</b>	0.11
<b>Cypress</b>	2.53
<b>Cypress - Mixed Hardwoods</b>	0.92
<b>Cypress - Pine - Cabbage Palm</b>	0.47
<b>Cypress- Domes/Heads</b>	0.03
<b>Disturbed Land</b>	0.53
<b>Educational Facilities</b>	0.97
<b>Electrical Power Facilities</b>	0.03
<b>Emergent Aquatic Vegetation</b>	0.01
<b>Fallow Cropland</b>	0.06
<b>Fixed Single Family Units</b>	36.19
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	0.13
<b>Fruit Orchards</b>	0.18
<b>Golf Course</b>	3.95
<b>Herbaceous (Dry Prairie)</b>	0.64
<b>High Density Under Construction</b>	0.16
<b>Holding Ponds</b>	1.69
<b>Horse Farms</b>	0.10
<b>Improved Pastures</b>	2.83
<b>Inactive Land with Street Pattern</b>	1.43
<b>Institutional</b>	0.39
<b>Levees</b>	0.05
<b>Low Density Under Construction</b>	0.01
<b>Medium Density Under Construction</b>	0.67
<b>Melaleuca</b>	0.14
<b>Mixed Crops</b>	0.02
<b>Mixed Rangeland</b>	0.67

(Continued)



Basin\_name=N Golden Gate

	<b>Percent composition</b>
<b>Land Use</b>	
Mixed Shrubs	2.28
Mixed Units, Fixed and Mobile Home Units	0.09
Mixed Wetland Hardwoods	1.88
Mobile Home Units	0.14
Multiple Dwelling Units, High Rise	0.14
Multiple Dwelling Units, Low Rise	3.01
Natural River, Stream, Waterway	0.00
Open Land	1.96
Ornamentals	0.68
Other Light Industry	0.65
Palmetto Prairies	0.87
Pine Flatwoods	2.70
Recreational	0.12
Reservoirs	3.39
Roads and Highways	1.94
Row Crops	1.71
Rural Residential	10.25
Sand and Gravel Pits	0.43
Sewage Treatment	0.03
Shopping Centers	0.37
Specialty Farms	0.02
Spoil Areas	0.05
Tree Nurseries	0.07
Unimproved Pastures	0.17
Upland Mixed Coniferous / Hardwood	0.13
Upland Shrub and Brushland	0.24
Water Supply Plants - Including Pumping Sta	0.09
Wet Melaleuca	0.38
Wet Pinelands Hydric Pine	6.81
Wet Prairies	0.24
Wetland Forested Mixed	0.38
Woodland Pastures	0.27

Basin\_name=Naples Bay

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Airports</b>	10.10
<b>Australian Pine</b>	1.51
<b>Brazilian Pepper</b>	0.52
<b>Channelized Waterways, Canals</b>	10.20
<b>Commercial and Services</b>	6.08
<b>Disturbed Land</b>	0.08
<b>Fixed Single Family Units</b>	29.25
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	0.18
<b>Golf Course</b>	5.20
<b>Institutional</b>	0.10
<b>Mangrove Swamp</b>	5.75
<b>Marinas and Fish Camps</b>	0.09
<b>Melaleuca</b>	0.25
<b>Mixed Shrubs</b>	0.06
<b>Mixed Wetland Hardwoods</b>	0.43
<b>Mobile Home Units</b>	2.42
<b>Multiple Dwelling Units, High Rise</b>	0.06
<b>Multiple Dwelling Units, Low Rise</b>	6.74
<b>Natural River, Stream, Waterway</b>	5.29
<b>Open Land</b>	0.86
<b>Other Light Industry</b>	3.15
<b>Parks and Zoos</b>	0.81
<b>Pine Flatwoods</b>	1.17
<b>Reservoirs</b>	2.91
<b>Roads and Highways</b>	2.93
<b>Rural Residential</b>	2.58
<b>Shopping Centers</b>	0.32
<b>Upland Hardwood Forests</b>	0.27
<b>Upland Mixed Coniferous / Hardwood</b>	0.30
<b>Upland Shrub and Brushland</b>	0.22
<b>Wet Melaleuca</b>	0.03
<b>Wet Pinelands Hydric Pine</b>	0.16

Basin\_name=Okaloacoochee

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Brazilian Pepper</b>	0.25
<b>Cabbage Palm</b>	0.15
<b>Cabbage Palm Wetland</b>	0.10
<b>Channelized Waterways, Canals</b>	0.23
<b>Citrus Groves</b>	20.67
<b>Commercial and Services</b>	0.10
<b>Correctional</b>	0.74
<b>Cypress</b>	9.69
<b>Cypress - Mixed Hardwoods</b>	0.49
<b>Cypress - Pine - Cabbage Palm</b>	0.15
<b>Cypress- Domes/Heads</b>	0.07
<b>Emergent Aquatic Vegetation</b>	0.27
<b>Field Crops</b>	0.52
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	19.55
<b>Grass Airports</b>	0.09
<b>Herbaceous (Dry Prairie)</b>	0.05
<b>Improved Pastures</b>	17.22
<b>Lakes</b>	0.02
<b>Mixed Shrubs</b>	11.16
<b>Mixed Wetland Hardwoods</b>	2.46
<b>Palmetto Prairies</b>	0.11
<b>Reservoirs</b>	0.23
<b>Row Crops</b>	7.86
<b>Rural Residential</b>	0.10
<b>Sod Farms</b>	0.17
<b>Unimproved Pastures</b>	2.70
<b>Upland Hardwood Forests</b>	0.02
<b>Upland Mixed Coniferous / Hardwood</b>	0.28
<b>Upland Shrub and Brushland</b>	0.04
<b>Wet Pinelands Hydric Pine</b>	0.03
<b>Wet Prairies</b>	0.73
<b>Wetland Forested Mixed</b>	0.23
<b>Woodland Pastures</b>	3.56

**Basin\_name=Rookery Bay Coastal**

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Brazilian Pepper</b>	0.04
<b>Channelized Waterways, Canals</b>	0.14
<b>Commercial and Services</b>	0.15
<b>Cypress</b>	0.14
<b>Cypress - Pine - Cabbage Palm</b>	0.46
<b>Educational Facilities</b>	0.28
<b>Fallow Cropland</b>	0.11
<b>Fixed Single Family Units</b>	0.53
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	1.38
<b>Golf Course</b>	3.57
<b>Herbaceous (Dry Prairie)</b>	1.34
<b>High Density Under Construction</b>	0.18
<b>Institutional</b>	0.11
<b>Lakes</b>	0.06
<b>Mangrove Swamp</b>	56.68
<b>Medium Density Under Construction</b>	0.30
<b>Mixed Rangeland</b>	0.29
<b>Mixed Shrubs</b>	2.68
<b>Mixed Units, Fixed and Mobile Home Units</b>	0.19
<b>Mixed Wetland Hardwoods</b>	0.36
<b>Mobile Home Units</b>	3.44
<b>Multiple Dwelling Units, Low Rise</b>	0.71
<b>Natural River, Stream, Waterway</b>	1.29
<b>Open Land</b>	0.47
<b>Pine Flatwoods</b>	0.64
<b>Reservoirs</b>	1.30
<b>Roads and Highways</b>	0.49
<b>Row Crops</b>	2.26
<b>Rural Residential</b>	0.03
<b>Saltwater Marshes / Halophytic Herbaceous P</b>	14.25
<b>Saltwater Ponds</b>	0.52
<b>Shopping Centers</b>	0.02
<b>Upland Hardwood Forests</b>	0.06
<b>Upland Mixed Coniferous / Hardwood</b>	0.09

(Continued)

**Basin\_name=Rookery Bay Coastal**

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Upland Shrub and Brushland</b>	1.46
<b>Wet Melaleuca</b>	0.19
<b>Wet Pinelands Hydric Pine</b>	3.17
<b>Wetland Forested Mixed</b>	0.53
<b>Wholesale Sales &amp; Services - Junk Yards</b>	0.12

Basin\_name=Rookery Bay E

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Aquaculture</b>	0.10
<b>Brazilian Pepper</b>	0.23
<b>Cabbage Palm</b>	0.26
<b>Channelized Waterways, Canals</b>	0.17
<b>Commercial and Services</b>	0.28
<b>Cypress</b>	10.84
<b>Cypress - Mixed Hardwoods</b>	0.32
<b>Cypress - Pine - Cabbage Palm</b>	11.07
<b>Disturbed Land</b>	0.53
<b>Educational Facilities</b>	0.13
<b>Emergent Aquatic Vegetation</b>	0.10
<b>Fallow Cropland</b>	3.50
<b>Field Crops</b>	0.04
<b>Fixed Single Family Units</b>	0.56
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	0.19
<b>Golf Course</b>	0.99
<b>Herbaceous (Dry Prairie)</b>	2.50
<b>High Density Under Construction</b>	1.72
<b>Improved Pastures</b>	0.44
<b>Inactive Land with Street Pattern</b>	0.27
<b>Institutional</b>	0.03
<b>Mangrove Swamp</b>	0.17
<b>Mixed Rangeland</b>	0.28
<b>Mixed Shrubs</b>	5.50
<b>Mixed Units, Fixed and Mobile Home Units</b>	0.20
<b>Mixed Wetland Hardwoods</b>	1.86
<b>Mobile Home Units</b>	0.82
<b>Multiple Dwelling Units, Low Rise</b>	0.33
<b>Nurseries and Vineyards</b>	0.04
<b>Open Land</b>	0.34
<b>Ornamentals</b>	0.47
<b>Other Light Industry</b>	0.05
<b>Palmetto Prairies</b>	0.22
<b>Parks and Zoos</b>	0.03

(Continued)

Basin\_name=Rookery Bay E

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Pine Flatwoods</b>	1.06
<b>Reservoirs</b>	0.93
<b>Roads and Highways</b>	0.72
<b>Row Crops</b>	16.93
<b>Rural Residential</b>	1.11
<b>Saltwater Marshes / Halophytic Herbaceous P</b>	0.18
<b>Saltwater Ponds</b>	0.00
<b>Tree Nurseries</b>	0.23
<b>Upland Mixed Coniferous / Hardwood</b>	0.65
<b>Upland Shrub and Brushland</b>	0.61
<b>Wet Melaleuca</b>	1.04
<b>Wet Pinelands Hydric Pine</b>	30.18
<b>Wet Prairies</b>	0.64
<b>Wetland Coniferous Forests</b>	0.37
<b>Wetland Forested Mixed</b>	0.66
<b>Woodland Pastures</b>	0.13

Basin\_name=Rookery Bay W

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Brazilian Pepper</b>	0.22
<b>Channelized Waterways, Canals</b>	0.42
<b>Commercial and Services</b>	1.30
<b>Cypress</b>	1.96
<b>Cypress - Mixed Hardwoods</b>	2.85
<b>Cypress - Pine - Cabbage Palm</b>	0.36
<b>Disturbed Land</b>	0.40
<b>Educational Facilities</b>	0.58
<b>Emergent Aquatic Vegetation</b>	0.08
<b>Fixed Single Family Units</b>	14.56
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	1.21
<b>Golf Course</b>	15.13
<b>Herbaceous (Dry Prairie)</b>	0.15
<b>High Density Under Construction</b>	0.00
<b>Institutional</b>	0.24
<b>Low Density Under Construction</b>	0.95
<b>Mangrove Swamp</b>	0.01
<b>Medium Density Under Construction</b>	1.36
<b>Melaleuca</b>	0.23
<b>Mixed Rangeland</b>	0.17
<b>Mixed Shrubs</b>	1.35
<b>Mixed Wetland Hardwoods</b>	1.33
<b>Mobile Home Units</b>	1.75
<b>Multiple Dwelling Units, High Rise</b>	1.97
<b>Multiple Dwelling Units, Low Rise</b>	4.82
<b>Open Land</b>	0.37
<b>Palmetto Prairies</b>	0.07
<b>Parks and Zoos</b>	0.86
<b>Pine Flatwoods</b>	2.27
<b>Reservoirs</b>	3.69
<b>Roads and Highways</b>	4.35
<b>Row Crops</b>	2.57
<b>Rural Residential</b>	0.07
<b>Saltwater Marshes / Halophytic Herbaceous P</b>	0.03

(Continued)



**Basin\_name=Rookery Bay W**

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Sewage Treatment</b>	0.40
<b>Shopping Centers</b>	1.14
<b>Upland Mixed Coniferous / Hardwood</b>	1.97
<b>Upland Shrub and Brushland</b>	0.60
<b>Wet Melaleuca</b>	1.84
<b>Wet Pinelands Hydric Pine</b>	21.65
<b>Wetland Forested Mixed</b>	4.71

Basin\_name=Silver Strand

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Airports</b>	1.22
<b>Cabbage Palm</b>	0.13
<b>Channelized Waterways, Canals</b>	0.29
<b>Citrus Groves</b>	47.74
<b>Commercial and Services</b>	0.07
<b>Communications</b>	0.05
<b>Cypress</b>	1.13
<b>Cypress - Mixed Hardwoods</b>	1.42
<b>Cypress - Pine - Cabbage Palm</b>	0.02
<b>Cypress- Domes/Heads</b>	0.10
<b>Educational Facilities</b>	0.07
<b>Emergent Aquatic Vegetation</b>	0.20
<b>Fixed Single Family Units</b>	0.02
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	3.67
<b>Herbaceous (Dry Prairie)</b>	1.19
<b>Improved Pastures</b>	13.07
<b>Institutional</b>	0.05
<b>Lakes</b>	0.02
<b>Levees</b>	0.61
<b>Melaleuca</b>	0.11
<b>Mixed Rangeland</b>	0.13
<b>Mixed Shrubs</b>	1.85
<b>Mixed Units, Fixed and Mobile Home Units</b>	0.04
<b>Mixed Wetland Hardwoods</b>	0.83
<b>Mobile Home Units</b>	0.09
<b>Multiple Dwelling Units, Low Rise</b>	0.51
<b>Oil and Gas Fields</b>	0.04
<b>Ornamentals</b>	0.44
<b>Other Light Industry</b>	0.53
<b>Palmetto Prairies</b>	0.24
<b>Pine Flatwoods</b>	1.66
<b>Reservoirs</b>	0.73
<b>Row Crops</b>	4.92
<b>Unimproved Pastures</b>	4.30

(Continued)

Basin\_name=Silver Strand

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Upland Hardwood Forests</b>	0.04
<b>Upland Mixed Coniferous / Hardwood</b>	0.10
<b>Upland Shrub and Brushland</b>	0.91
<b>Wet Melaleuca</b>	0.12
<b>Wet Pinelands Hydric Pine</b>	0.04
<b>Wet Prairies</b>	1.84
<b>Wetland Forested Mixed</b>	0.08
<b>Wholesale Sales &amp; Services - Junk Yards</b>	0.01
<b>Woodland Pastures</b>	9.41

Basin\_name=Tamiami

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Airports</b>	0.01
<b>Brazilian Pepper</b>	0.01
<b>Cabbage Palm</b>	0.01
<b>Cabbage Palm Wetland</b>	0.01
<b>Cattle Feeding Operations</b>	0.01
<b>Channelized Waterways, Canals</b>	0.18
<b>Citrus Groves</b>	0.31
<b>Commercial and Services</b>	0.04
<b>Cypress</b>	22.04
<b>Cypress - Mixed Hardwoods</b>	2.10
<b>Cypress - Pine - Cabbage Palm</b>	0.39
<b>Cypress- Domes/Heads</b>	2.16
<b>Disturbed Land</b>	0.00
<b>Emergent Aquatic Vegetation</b>	0.00
<b>Fixed Single Family Units</b>	0.01
<b>Freshwater Marshes - Sawgrass</b>	29.45
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	0.72
<b>Grass Airports</b>	0.00
<b>Herbaceous (Dry Prairie)</b>	0.02
<b>Improved Pastures</b>	2.83
<b>Inactive Land with Street Pattern</b>	0.01
<b>Levees</b>	0.05
<b>Mixed Rangeland</b>	0.07
<b>Mixed Shrubs</b>	29.48
<b>Mixed Units, Fixed and Mobile Home Units</b>	0.01
<b>Mixed Wetland Hardwoods</b>	0.60
<b>Mobile Home Units</b>	0.01
<b>Natural River, Stream, Waterway</b>	0.00
<b>Oak - Cabbage Palm Forests</b>	0.02
<b>Other Light Industry</b>	0.00
<b>Palmetto Prairies</b>	0.01
<b>Parks and Zoos</b>	0.00
<b>Pine Flatwoods</b>	0.14
<b>Pine Savannah</b>	0.03

(Continued)

Basin\_name=Tamiami

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Recreational</b>	0.00
<b>Reservoirs</b>	0.01
<b>Roads and Highways</b>	0.19
<b>Row Crops</b>	0.67
<b>Rural Residential</b>	0.01
<b>Unimproved Pastures</b>	0.19
<b>Upland Hardwood Forests</b>	0.01
<b>Upland Mixed Coniferous / Hardwood</b>	0.00
<b>Upland Shrub and Brushland</b>	0.01
<b>Wet Melaleuca</b>	0.01
<b>Wet Pinelands Hydric Pine</b>	0.55
<b>Wet Prairies</b>	7.27
<b>Wetland Coniferous Forests</b>	0.22
<b>Wetland Forested Mixed</b>	0.03
<b>Woodland Pastures</b>	0.09

Basin\_name=Ten Thousand

	<b>Percent composition</b>
<b>Land Use</b>	
<b>Cabbage Palm</b>	0.01
<b>Channelized Waterways, Canals</b>	0.26
<b>Commercial and Services</b>	0.02
<b>Communications</b>	0.01
<b>Cypress</b>	0.03
<b>Cypress - Mixed Hardwoods</b>	0.20
<b>Cypress - Pine - Cabbage Palm</b>	0.49
<b>Embayments Opening Directly to Gulf or Ocea</b>	32.34
<b>Emergent Aquatic Vegetation</b>	0.01
<b>Fixed Single Family Units</b>	0.06
<b>Freshwater Marshes - Sawgrass</b>	4.07
<b>Freshwater Marshes / Graminoid Prairie - Ma</b>	1.50
<b>Inactive Land with Street Pattern</b>	0.02
<b>Lakes</b>	0.00
<b>Mangrove Swamp</b>	57.10
<b>Mixed Rangeland</b>	0.03
<b>Mixed Shrubs</b>	0.77
<b>Mixed Wetland Hardwoods</b>	0.07
<b>Multiple Dwelling Units, Low Rise</b>	0.03
<b>Natural River, Stream, Waterway</b>	1.11
<b>Reservoirs</b>	0.01
<b>Saltwater Marshes / Halophytic Herbaceous P</b>	1.52
<b>Saltwater Ponds</b>	0.19
<b>Slough Waters</b>	0.00
<b>Tidal Flats</b>	0.04
<b>Upland Hardwood Forests</b>	0.01
<b>Upland Shrub and Brushland</b>	0.08
<b>Wetland Forested Mixed</b>	0.00