


FOR ROADWAY AND BASE RESTORATION  
DETAILS, REFER TO THE COLLIER COUNTY  
RIGHT OF WAY HANDBOOK.



\*TRENCH WIDTH = PIPE OUTSIDE DIAMETER PLUS 2 FEET

NOTES:

1. BACKFILL SHALL BE OF SUITABLE MATERIAL REMOVED FROM EXCAVATION EXCEPT WHERE OTHER MATERIAL IS SPECIFIED. BACKFILL MATERIAL SHALL CONSIST OF EARTH, LOAM, SANDY CLAY, GRAVEL, CRUSHED LIMESTONE, OR OTHER APPROVED MATERIAL. REFER TO TECHNICAL SPECIFICATIONS FOR DETAIL REQUIREMENTS.
2. ALL PIPES SHALL BE CONSTRUCTED WITHIN A STEEL CASING PIPE IF INSTALLED ON A ROAD TO BE WIDENED, UNLESS THE UTILITY PIPE IS HDPE.

STATE ROAD, MAJOR COUNTY ROAD, AND  
NUMBERED COUNTY ROAD FLOWABLE FILL  
ROAD AND TRENCH RESTORATION

NTS

REVISION DATE:

MAY 2018



SHEET NO.

G-2A