



## 2019 Annual Drinking Water Quality Report Collier County Water Division

PWS ID: 5114069

We are pleased to present this summary on the quality of water provided to you during 2019. We are committed to the protection of your health, safety, and welfare when it comes to providing high quality drinking water and the services associated with providing that water to your tap.

### Source Water and Treatment for Collier County

The Collier County Water System pumps groundwater from three well fields located in the Golden Gate Estates. The North Hawthorn Well field has 24 wells that provide water to the North County Regional Water Treatment Plant. The South Hawthorn Well field has 42 wells that provide water to the South County Regional Water Treatment Plant. The Golden Gate Tamiami Well field has 36 wells that provide water to both treatment plants.

The Florida Department of Environmental Protection (FDEP) performed a Source Water Assessment on the system in 2018. This assessment was conducted to provide information about any potential sources of contamination in the vicinity of the wells. There are 35 potential sources of contamination identified for this system with low to moderate susceptibility levels. Potential sources of contamination identified included underground petroleum storage tanks, injection wells, and industrial wastewater treatment plants. The assessment results are available on the DEP Source Water Assessment and Protection Program website at [www.dep.state.fl.us/swapp](http://www.dep.state.fl.us/swapp).

There are two Regional Water Treatment Plants, the North County Regional Water Treatment Plant (NCRWTP) and the South County Regional Water Treatment Plant (SCRWTP). The NCRWTP has 12 MGD treatment capacity utilizing nano-filtration treatment process and 8 MGD treatment capacity utilizing reverse osmosis treatment process. The SCRWTP has 12 MGD treatment capacity utilizing lime softening and 20 MGD treatment capacity utilizing reverse osmosis. The water is treated with chloramines for disinfection purposes and then fluoridated for dental health purposes. A corrosion inhibitor is also added to prevent corrosion of pipes.

The Collier County Water Division has an extensive and continuous testing program to routinely monitor for contaminants in your drinking water in accordance with federal and state laws, rules, and regulations. Except where indicated otherwise, this report is based on the results of our monitoring for the period of January 1 to December 31, 2019. Data obtained before January 1, 2019, and presented in this report are from the most recent testing done in accordance with the laws, rules, and regulations.

**For more information on your water utility, including the Collier County water outage and precautionary boil water notice map please visit <https://www.colliercountyfl.gov/your-government/divisions-s-z/water>**

### Other Sources of Information

Florida Department of Environmental Protection: [www.dep.state.fl.us](http://www.dep.state.fl.us)

United States Environmental Protection Agency Safe Drinking Water Hotline: 1-800-426-4791

United States Environmental Protection Agency Office of Water: [www.epa.gov/OW](http://www.epa.gov/OW)

The American Water Works Association: [www.awwa.org](http://www.awwa.org)

## Important Phone Numbers

If you have any questions about this report or your water service, please contact us at the following numbers:  
For questions concerning this report and its contents please call (239) 252-4H2O.  
For questions concerning your water service (account information, service requests, billing inquiries) please call (239) 252-2380.

## Definitions

In the table below, you may find unfamiliar terms and abbreviations. To help you better understand these terms we've provided the following definitions:

**Maximum Contaminant Level or MCL:** The highest level of a contaminant that is allowed in drinking water; MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

**Maximum Contaminant Level Goal or MCLG:** The level of a contaminant in drinking water below which there is no known or expected risk to health; MCLGs allow for a margin of safety.

**Action Level (AL):** The concentration of a contaminant that, if exceeded, triggers treatment or other requirements that a water system must follow.

“**ND**” means not detected and indicates that the substance was not found by laboratory analysis.

**Initial Distribution System Evaluation (IDSE):** An important part of the Stage 2 Disinfection Byproducts Rule (DBPR). The IDSE is a one-time study conducted by water systems to identify distribution system locations with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs). Water systems will use results from the IDSE, in conjunction with their Stage 1 DBPR compliance monitoring data, to select compliance monitoring locations for the Stage 2 DBPR.

**Parts per million (ppm) or Milligrams per liter (mg/L):** One part by weight of analyte to 1 million parts by weight of the water sample.

**Parts per billion (ppb) or Micrograms per liter (µg/L):** One part by weight of analyte to 1 billion parts by weight of the water sample.

**Picocurie per liter (pCi/L):** Measure of the radioactivity in water.

**Maximum residual disinfectant level or MRDL:** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**Maximum residual disinfectant level goal or MRDLG:** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**MGD:** Million gallons per day.

**Contaminant:** Any physical, chemical, biological or radiological substance in the water.

**Violation:** Violations occur when detected limits are greater than Maximum Contaminant Levels or Action Levels set by the EPA.

**UCMR:** Unregulated contaminants monitoring rule.

**90<sup>th</sup> Percentile:** The analytical result that is greater than or equal to 90% of the results.

This report shows the results of our monitoring for the period of January 1 to December 31, 2019. Federal and state regulations allow us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, may be more than one year old. The Environmental Protection Agency (EPA) requires monitoring of over 80 drinking water contaminants. **Those contaminants listed in the table below are the only contaminants detected in your drinking water.**

| <b>Inorganic Chemicals</b>          |                             |                   |                |                  |      |     |  |
|-------------------------------------|-----------------------------|-------------------|----------------|------------------|------|-----|--|
| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG | MCL | Likely Source of Contamination   |
| Fluoride (ppm)                      | 3/17                        | N                 | 0.46           | NA               | 4    | 4   | Erosion of natural deposits; discharge from fertilizer and aluminum factories. Water additive which promotes strong teeth when at optimum level of 0.7 ppm |
| Nitrate (as Nitrogen) (ppm)         | 2/17                        | N                 | 0.025          | ND-0.025         | 10   | 10  | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits  |
| Sodium (ppm)                        | 3/17                        | N                 | 55.0           | 44.3-55.0        | N/A  | 160 | Salt water intrusion, leaching from soil   |

| Contaminant      | Dates of sampling (mo/yr) | MCL Violation Y/N | Total Number of Positive Samples for the Year | MCLG | MCL  | Likely source of contamination |
|------------------|---------------------------|-------------------|---|------|--|--------------------------------|
| <i>E. coli</i> * | Monthly 2019              | N                 | 1   | 0    | Routine and repeat samples are total coliform positive and either is <i>E. coli</i> positive or system fails to take repeat samples following <i>E. coli</i> positive routine sample or system fails to analyze total coliform positive repeat sample for <i>E. coli</i> | Human and animal fecal waste   |

\* In May of 2019, a routine sample tested positive for *E. coli*. All repeat samples collected at the original, upstream, and downstream locations were negative for total coliform and *E. coli* therefore there was no MCL violation.

| <b>Stage 1 Disinfectants and Disinfection By-Products</b> |                             |                   |                |                  |               |             |   |
|---|-----------------------------|-------------------|----------------|------------------|---------------|-------------|---|
| Contaminant and Unit of Measurement                       | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL or MRDL | Likely Source of Contamination          |
| Chloramines (ppm)   | Monthly 2019                | N                 | 3.3            | 0.8-4.1          | MRDLG = 4     | MRDL = 4    | Water additive used to control microbes |

| <b>Stage 2 Disinfectants and Disinfection By-Products</b> |                             |                   |                |                  |               |     |   |
|---|-----------------------------|-------------------|----------------|------------------|---------------|-----|---|
| Contaminant and Unit of Measurement                       | Dates of sampling (mo./yr.) | MCL Violation Y/N | Level Detected | Range of Results | MCLG or MRDLG | MCL | Likely Source of Contamination            |
| Haloacetic Acids (HAA5) (ppb)                             | Quarterly 2019              | N                 | 19.2           | 11.4-31.2        | NA            | 60  | By-product of drinking water disinfection |
| Total trihalomethanes (TTHM) (ppb)                        | Quarterly 2019              | N                 | 41.0           | 30.8-49.3        | NA            | 80  | By-product of drinking water disinfection |

| <b>Lead and Copper (Tap Water)</b>  |                             |                 |                        |   |      |                   |  |
|-------------------------------------|-----------------------------|-----------------|------------------------|---|------|-------------------|--|
| Contaminant and Unit of Measurement | Dates of sampling (mo./yr.) | AL Exceeded Y/N | 90th Percentile Result | Number of sampling sites exceeding the AL | MCLG | AL (Action Level) | Likely Source of Contamination   |
| Copper (tap water) (ppm)            | 6/17                        | N               | 0.042                  | 0   | 1.3  | 1.3               | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |
| Lead (tap water) (ppb)              | 6/17                        | N               | 1.3                    | 0   | 0    | 15                | Corrosion of household plumbing systems, erosion of natural deposits                                   |

The sources of drinking water (for both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- (E) Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure tap water is safe to drink, the EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at 1-800-426-4791.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Collier County Water Division is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (800-426-4791) or at [www.epa.gov/safewater/lead](http://www.epa.gov/safewater/lead).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

### **Hardness of Your Water**

General guidelines for classification of the hardness of water are: 0 to 60 mg/L (milligrams per liter) of hardness is classified as soft water; 61 to 120 mg/L as moderately hard water; 121 to 180 mg/L as hard water; and more than 180 mg/L as very hard water. The range of hardness of water delivered to your home by the Collier County Water Division in 2019 was 37 to 86 mg/L, or 2.1 to 5.0 grains per gallon, with an average hardness of 57 mg/L.

### **Cross Connection Control**

Any connection between the potable (drinking) water supply and any other source of water has the potential to contaminate the drinking water supply and is illegal in any form, permanent or temporary. Some common things we do around the house and yard can create a cross connection. For instance, without the proper vacuum breaker

installed, leaving a garden hose submerged in a swimming pool is a cross connection. Attaching a pesticide or weed-killer mixing sprayer to the end of a hose has the potential to contaminate the drinking water. Connecting an irrigation system to both irrigation quality (reclaimed) water and the drinking water system is a cross connection that is not only dangerous, but also illegal. Only a licensed plumber should make changes to the plumbing on any property, or in any structure where any other source of water exists.

To prevent the possibility of backflow, Collier County adopted the “Collier County Cross-connection Control/Backflow Prevention Ordinance” (Ordinance 97-33). This ordinance requires the installation of backflow prevention assemblies as part of any water service connection. The Water Division maintains a Cross-connection Control and Backflow Prevention Section to install, maintain, repair, and annually test backflow prevention assemblies. Please contact the Water Division for any necessary maintenance on the device.

#### Unregulated Contaminants

Collier County has been monitoring for Unregulated Contaminants (UC) as part of a study to help the U.S. Environmental Protection Agency (EPA) determine the occurrence in drinking water of UC and whether or not these contaminants need to be regulated. At present, no health standards (for example, maximum contaminant levels) have been established for UC. However, we are required to publish the analytical results of our UC monitoring in our annual water quality report. If you would like more information on the EPA’s Unregulated Contaminants Monitoring Rule (UCMR), please call the Safe Drinking Water Hotline at (800) 426-4791.

Below is the table of UCMR4 parameters that were detected at our water system:

| <b>Unregulated Contaminants</b>   |                                  |                       |                         |
|---|----------------------------------|-----------------------|-------------------------|
| <b>Contaminant and Unit of Measurement</b>  | <b>Dates of sampling (mo/yr)</b> | <b>Level Detected</b> | <b>Range of Results</b> |
| HAA5 (ppb)  | 2/18 and 10/18                   | 17.9                  | 12.2 – 17.9             |
| HAA6Br (ppb)  | 2/18 and 10/18                   | 11.9                  | 8.0 – 11.9              |
| HAA9 (ppb)  | 2/18 and 10/18                   | 26.3                  | 18.9 – 26.3             |
| Manganese (ppb)   | 8/18                             | 0.45                  | 0.45                    |
| Bromide and Total Organic Carbon (TOC): These samples were taken at source water influent locations representing <b>untreated water entering the water treatment plant (i.e., a location prior to any treatment).</b> |                                  |                       |                         |
| Bromide (ppm)   | 2/18 and 10/18                   | 10.1                  | 0.223 – 10.1            |
| TOC (ppm)   | 2/18 and 10/18                   | 8.33                  | 1.94 – 8.33             |